

# MC1000 - MONITORUPDATE V157 FOR MC1000 CE5 64M - CHINESE RELEASE NOTES

## INTRODUCTION

This OSUpdate package contains Monitor Image v1.57.xx, OS Image v03.34.01 and other Images for MC1000 CE5.0 Chinese 64MB flash devices.

## DESCRIPTION

Resolved following issues affecting the production line tests:

1. unable to read ESN correctly.

## CONTENTS

1. 1000c50XcpMO157XX.zip – OS Update archive having Monitor Image v1.57.xx, OS Image v03.34.01 and other Images for MC1000 CE5.0 Chinese 64MB flash devices.

## DEVICE COMPATIBILITY

This software release has been approved for use with the following Symbol devices.

Device	Operating System
MC1000 English 64M	Windows CE 5.0

## INSTALLATION REQUIREMENTS

Microsoft Windows 2000 or Windows XP Operating System

## INSTALLATION INSTRUCTIONS

### Important Note:

- Always stay with the Monitor v1.55.XX or above by removing Monitor entry from OSUpdate Package if you are going to older BSP version 3.34.00 or below.
- Comment out Monitor in 1000c50AenMono\_P30.txt if you are using older BSP version 3.34.00 or below.
- MC1000 units manufactured in 2011 or above must have Monitor v1.55.XX and above only.

**OSUpdate Files** Used to reload the Monitor. These files are to be used with either an SD card or the \Temp directory. Copy the entire contents of the OSUpdate folder along with the subfolders to the root of the SD card or the \Temp directory. Execute the relevant short link file to start the OSUpdate. It is important that the directory structure be maintained for proper operation.

Component	File Name	File Size
Script file used by the OSUpdate Utility for P30 (64M) device	1000c50AcpMono_P30.txt	1 KB
Link file to execute to start Update process using an SD card	1000c50AcpMono_SD	1 KB
Link file to execute to start Update process using the \Temp folder	1000c50AcpMono_TEMP	1 KB
Flash Utility used by OSUpdate	FlashUpdateUtility.dll	74 KB
Update Utility to distinguish 32M and 64M	Update.exe	7 KB
OSUpdate Utility	osupdHblvd.exe	40 KB

**Images** Used by the OSUpdate utility to update the device to Monitor version 1.57.xx and to OS version 03.34.01. The OSUpdate is compatible with the following images for only 64MB flash devices.

Component	File Name	File Size
Monitor	1000c50XcpMO0157XX.hex	419 KB
Operating System	1000c50AcpOS033401.bgz	6935 KB
Power Micro	1000c5AcpPM152601.hex	9 KB
Splash Screen	1000c5AcpSM002.hex	58 KB
Partition Table	1000c50AcpPT005.hex	10 KB
Application	1000c50AcpAP011.bgz	899 KB
Platform	1000c50AcpPL012.bgz	435 KB



## PART NUMBER AND RELEASE DATE

1000c50XcpMO156XX

March 18, 2013