



Zebra accessory guide

ET6 series

The most versatile rugged Android™
and Windows business tablets



Table of contents

Accessories that power devices

[AC/DC power supply](#) 4

[Batteries](#) 5

Accessories for fixed and vehicle-mounted installations

[Vehicle docks](#) 7

[Vehicle dock power supplies and cables](#) 8

[Warehouse keyboard for vehicles](#) 10

[Mounting hardware for vehicles](#) 11

Accessories that enable productivity solutions

[2-in-1 keyboard](#) 13

[Workstation Connect cradle \(Android only\)](#) 14

[Smart card and RFID reader](#) 15

[Stylus](#) 16

[Straps, stand and screen protector](#) 17

Accessories that power devices

[AC/DC power supply](#)

[Batteries](#)

Accessories that power devices

AC/DC power supply

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
AC/DC power supply SKU# PWR-BGA15V45W-UC2-WW	• 100-240 VAC in, 14 VDC out • To power the tablet from a regular 110/220 VAC outlet
	Please order AC cable separate: • 450040 (for US) • 450047 (for Australia/New Zealand) • 450042 (for EU) • 450041 (for UK) • ACC-L10LINECORD-TW (for Taiwan) • ACC-L10LINECORD-JP (for Japan) • ACC-L10LINECORD-CN (for China)
2-Bay battery charger SKU# SAC-ET6X-2SCHG-01	• To charge the standard as well as the extended battery in any combination.
	Please order power supply and cables separate: • PWR-BGA12V50W0WW • DC Line Cord CBL-DC-388A1-01 • Country specific 3 wire AC Line Cord.

Accessories that power devices

Batteries

The ET6x Windows and Android requires batteries with a different voltage and have therefore different part numbers.

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
Standard battery ET6 Android SKU# BTRY-ET6XA-9AH-01 ET6 Windows SKU# BTRY-ET6XW-5AH-01 	- ET6x standard battery, 36 Wh - Zebra's PowerPrecision+ batteries provide the intelligence to better manage a battery pool. - Obtain advanced battery state of health information including charge level and battery age based on usage patterns.
Extended battery ET6 Android SKU# BTRY-ET6XA-18AH-01 ET6 Windows SKU# BTRY-ET6XW-9AH-01 	- ET6x extended battery, 72 Wh - Zebra's PowerPrecision+ batteries provide the intelligence to better manage a battery pool. - Obtain advanced battery state of health information including charge level and battery age based on usage patterns.
No cells battery ET6 Android SKU# BTRY-ET6X-0AH-01 ET6 Windows SKU# BTRY-ET6XW-0AH-01 	- Battery housing without cells - Cost saving and elimination of battery maintenance in fixed mount installations

Accessories for fixed and vehicle-mounted installations

[Vehicle docks](#)

[Vehicle dock power supplies and cables](#)

[Warehouse keyboard for vehicles](#)

[Mounting hardware for vehicles](#)

Accessories for fixed and vehicle-mounted installations

Vehicle docks

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
Vehicle dock charging, 2 x USB type A, 1 x RS232 SKU# CRD-ET6X-VEHDK-CON-01	Vehicle dock charging, 2 x USB Type A, 1 x RS232 • Small design, Quick release, VESA mount pattern • IP66, Extreme shock, vibration and thermal shock testing—built to survive constant pounding • Heated pogo pins to avoid corrosion and loss of connection • 2 USB Type A ports and one serial port to connect peripherals • All ports are securely covered in a compartment • Allows locking the ET6x
Vehicle dock with antenna pass through SKU# CRD-ET6X-VEHDK-PTA-01	Vehicle dock with antenna pass through • Small design, Quick release, VESA mount pattern • IP66, Extreme shock, vibration and thermal shock testing—built to survive constant pounding • Heated pogo pins to avoid corrosion and loss of connection • 3 antenna passthroughs for strong GPS and wireless signals • 2 USB Type A ports and one serial port to connect peripherals • All ports are securely covered in a compartment • Allows locking the ET6x



Accessories for fixed and vehicle-mounted installations

Vehicle dock power supplies and cables

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
DC/DC power supplies SKU# PS1370 	DC/DC power supplies - To be installed between the vehicle dock and the vehicle battery 24 to 90 VDC input voltage, 90W -30° to +50° C Operating Temperature - Isolated - Must be used with the ET60 Touch Screen Heater configuration
DC power adapter cable SKU# CBL-ET6-ADPA2-1 	To connect the DC/DC Power Supply PS1370 with the ET6 Vehicle Dock
DC power extension cable SKU# CA1210 	To connect the DC/DC power supply PS1370 with the vehicle battery
DC power adapter to VC70 DC power cable SKU# CB000416A01 	- Replace a legacy Zebra VC70 and reuse the existing DC power cable - To be installed between the existing DC power cable and the DC/DC power supply
DC power adapter to VC50 DC power cable SKU# CB000417A01 	- Replace a legacy Zebra VC50 and reuse the existing DC power cable - To be installed between the existing DC power cable and the DC/DC power supply
AC/DC power supply SKU# 450020 	100-240 VAC in, 14 VDC out - To power the vehicle dock from a regular 110/220 VAC outlet Please order AC cable separate: 450040 (for US) 450047 (for Australia/New Zealand) 450042 (for EU) 450041 (for UK) - ACC-L10LINECORD-TW (for Taiwan) - ACC-L10LINECORD-JP (for Japan) - ACC-L10LINECORD-CN (for China)

Accessories for fixed and vehicle-mounted installations

Vehicle dock power supplies and cables

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
DC/DC power supplies 9-60 VDC; SKU# 450083	▪ To be installed between the vehicle dock and the vehicle battery ▪ Can not be used with the ET60 Touch Screen Heater configuration ▪ Check the voltage of the vehicle before selecting the variant
	
Direct wire kit SKU# 300039	▪ To connect the 450083 or 450084 DC/DC power supply with the Vehicle Dock and the vehicle battery
	
DC power adapter to VC DC power cable with CPC connector SKU# CBL-ET-ADPA1-1	▪ Replace a legacy Zebra VC and reuse the existing DC power cable ▪ To be installed between the existing DC power cable and the 450083 or 450084 DC/DC power supply
	
Cigarette lighter adapter (CLA) to vehicle dock SKU# 450143	▪ Power the vehicle dock from a 12V cigarette lighter ▪ To be installed between the vehicle dock and the cigarette lighter
	

Accessories for fixed and vehicle-mounted installations

Warehouse keyboard for vehicles

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

SKU#	DESCRIPTION	
KYBD-QW-VC-01		VC USB keyboard QWERTY
KYBD-AZ-VC-01		VC USB keyboard AZERTY
KYBD-QW-ET-S-1		VC USB keyboard QWERTY with USB type a cable
CBL-ET-KBUSB1-01		VC USB keyboard QWERTY with USB type a cable
CBL-ET-KBUSB2-01		USB and RS232 y-cable for warehouse keyboard (to power keyboard heaters)
KT-KYBDTRAY-ET6X-01		ET6x keyboard tray for vehicle dock, VESA and AMPS mounting hole pattern



Accessories for fixed and vehicle-mounted installations

Mounting hardware for vehicles

The vehicle docks have the VESA mount pattern and can be used with a range of 3rd party mounts. See ET6 series third party accessory guide for details..

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

SKU#	DESCRIPTION	
MT4301		RAM mount, 4" arm
MT4302		RAM MOUNT, 8.5" ARM (12" arm length with two plates attached)
MT3501		VESA plate (for 4" or 12" RAM arm)
MT3502		Round plate (for 4" or 12" RAM arm)
MT3505		Clamp base (for 4" or 12" RAM arm), 2" max. width
MT3507		Clamp base (for 4" or 12" RAM arm), 3" max. width
RAM-D-247U-4		Mount, RAM, Square Post Clamp Base for Posts up to 4" Wide, D-size ball
MT3509		Rail base (for 4" or 12" RAM arm), 1-1/4" to 1-7/8"
MT3510		Rail base (for 4" or 12" RAM arm), 2" to 2 1/2"
350025		MOUNT, L10/ET8X, RAM FORKLIFT MOUNTING KIT
STND-ET-DESK-01		Desk Stand for Vehicle Dock

Accessories that enable productivity solutions

[2-in-1 keyboard](#)

[Workstation Connect cradle \(Android only\)](#)

[Smart card and RFID reader](#)

[Stylus](#)

[Straps, stand and screen protector](#)

Accessories that enable productivity solutions

2-in-1 keyboard

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
2-in-1 keyboard US English layout: KYB-ET6X-2IN1-US1-01 UK English layout: KYB-ET6X-2IN1-UK1-01 French layout: KYB-ET6X-2IN1-FR1-01 Spanish layout: KYB-ET6X-2IN1-ES1-01 German layout: KYB-ET6X-2IN1-DE1-01	• Add to any ET6x tablet for a true 2-in-1 laptop experience. • Patented magnetic latching for positive audio feedback when latching to tablet. • Friction hinge to set viewing angle to user preference. • Opens 180° for infinite viewing adjustment. • IP65 dust and water sealing • Screwless design for more rigid assembly • Can be combined with Zebra's ET60 / ET65 docking solutions, and other accessories. • 78 full sized keys. • Large touchpad with ergonomic mouse buttons and multi-finger gestures. • Scissor switch keys for quality notebook feel. • Integrated handle for easy portability even with gloves. • Primary backlight color choice. Can scroll through primary colors with function keys for quickly changing colors and backlight intensity. • Kensington lock slot to secure keyboard and tablet. • Five layouts available (US English, UK English, French, Spanish, German).



Accessories that enable productivity solutions

Workstation Connect cradle (Android only)

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
Connect cradle CRD-ET6X-1SNWS-01	• Allows to connect an ET6x Android tablet to an external monitor and multiple peripherals • Includes HDMI, Ethernet, 3.5mm Headset Jack and USB-A (x4) ports. • Requires power supply PWR-BGA12V50W0WW, DC Line Cord CBL-DC-388A2-01 and country specific grounded AC Line Cord sold separately • Requires Workstation Connect software version 4.1 or newer • Compatible with accessories that attach to the back of the ET6x (Smart Card Reader, RFID Reader, Kickstand with Hand Strap)



Accessories that enable productivity solutions

Smart card and RFID reader

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
Smart card reader Without Hand Strap: XBK-ET6X-SMCARD-01 With Hand Strap: XBK-ET6X-SMCARD-HS-01 	- For Android and Windows - Easy to install. Attaches to the back side of the ET6x - ISO/IEC 7816 Part 1 to 4, EMV 2011 Ver 4.3 Ready - Supported Smart Card Types: 5V, 3V and 1.8V, ISO/IEC 7816 Class A/B/C - Supports T=0, T=1 protocols 8 pin ID-1 sliding contact socket - Supports CCID (chip card interface device) protocol - IP65 sealed - Operating Temperature: 0 to 50 C - Drop rating: 4 feet on concrete - Size and weight: 186.3 x 87.6 x 13.2 mm, 131 g
RFID reader North America: XBK-ET6X-RFID-N-01 EU: XBK-ET6X-RFID-E-01 AU/NZ: XBK-ET6X-RFID-A-01 	- For Android and Windows - Easy to install. Attaches to the back side of the ET6x - Hand Strap - EPC Class1 Gen2 UHF RFID protocol - North America: 902-928 MHz - EU: 865-867 MHz - Read range: > 1 meter (3 feet) - Multiple tags reading: min 10 tags per second - Circular polarized antenna - Max. USB 5V/750mA - RF max power: 24 dBm - IP66 sealed - Operating Temperature: -20 to +60 C - Drop rating: 4 feet on concrete

Accessories that enable productivity solutions

Stylus

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
Active stylus SKU# SG-ET8X-STYLUS1-01 	- Allows for a large range of pressure sensitivity, tilt detection and hover capability. - IP55 water and dust protected. - Two side buttons for easy erase and menu access. - Can be tethered to tablet with SG-ET5X-SLTETR-01 (sold separately). - Can be secured to tablet with Pen Loop Holder (SG-ET8X-PENLOOP1-01) or inserted into handle SG-ET8X-HANDLE1-01 (sold separately). - Uses one AAAA battery, included.
Stylus holder SKU# SG-ET8X-PENLOOP1-01 	Adhesive Loop attaches to rear of tablet
Coiled tether SKU# SG-ET5X-SLTETR-01 	- Used to tether stylus to the tablet. - Can be attached to tether points on device corners
Passive stylus SKU# SG-STYLUS-TCX-MTL-03 	Fiber tipped stylus—pack of 3 - Heavy-duty and made from stainless steel / brass. No plastic parts—real pen feel. - Micro-knit, hybrid-mesh, fiber tip provides silent, smooth gliding use. - Length of stylus is 5". - Tether to device or hand strap using SKU# SG-TC5NGTC7NG-TETHR-03.
Passive stylus tether SKU# SG-TC5NGTC7NG-TETHR-03 	- Can be attached to tether points on device corners - String type tether prevents loss of stylus.
Small passive stylus kit with tether SKU# SG-TC7X-STYLUS-03 	Pack of 3 - Conductive Carbon-filled plastic material w/ 5mm tip - Length of stylus is 3.5". - Rigid plastic stylus is optimized for enterprise durability. - Clip & tether point to reduce loss. - Tether to the ET6X using the attachment points on the top right or top left sides of tablet.

Accessories that enable productivity solutions


Straps, stand and screen protector

[Accessories that power devices](#)

[Accessories for fixed and vehicle-mounted installations](#)

[Accessories that enable productivity solutions](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
Kickstand with hand strap SKU# XBK-ET6X-KCKSTD-01 	• Easy to use while walking • Adjustable to hand size • Detents help lock desired rotation angle • Kickstand provides great ergonomics for reading and touch screen interactions while the tablet is on flat surfaces • User adjustable display angle
Replacement hand strap for kickstand SKU# SG-ET6X-RHTP1-01 	• Spare/replacement hand strap
Carry handle SKU# SG-ET8X-HANDLE1-01 	• Comes with Stylus Slot and Coiled Stylus Tether • Requires Attachment Clips (SG-ET6X-DCLIPS-01)
Shoulder strap SKU# SG-ET8X-SHLDR1-01 	• Adjustable length • Requires Attachment Clips (SG-ET6X-DCLIPS-01)
Attachment clips for straps SKU# SG-ET6X-DCLIPS-01 	• Attach to keyboard latch points on tablet
Screen protector SKU# MISC-ET6X-SCRNPT-3P 	• Pack of 3 • Polyester with matte finish • Can be applied to the standard and the heated touch screen

Thank you

The Zebra wordmark and logo are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. Android is a trademark of Google LLC. All other trademarks are the property of their respective owners. ©2026 Zebra Technologies Corp. and/or its affiliates. 07/22/2026

