



Zebra accessory guide

KC401

10-inch Android Kiosk Computer
for modern self-service



Table of contents

Accessories for KC401

Scanner	3
Power and communication	4
Cables	5
Mounting	6

Scan module for either landscape or portrait orientation

[Scanner](#)

[Power and communication](#)

[Cables](#)

[Mounting](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
+25 degree angle SKU# KC401-SCNR-SR1 	KC401 SR500 Scan Module • Field installable SR500 scan module for KC401, +25-degree scan angle • Compatible for either portrait or landscape orientation • Includes 2 x Philips head screws This scan angle is designed for use cases with scanning in front of the KC401 device. +25 is recommended for most workflows. * Please note this scan angle option matches the scan angle for legacy CC6 devices.
0 degree angle SKU# KC401-SCNR-SR0 	KC401 SR500 Scan Module • Field installable SR500 scan module for KC401, 0-degree scan angle • Compatible for either portrait or landscape orientation • Includes 2 x Philips head screws This scan angle is designed for use cases with devices mounted on pole or stand and objects will be held directly under the device for scanning
-25 degree scan SKU# KC401-SCNR-SR2 	KC401 SR500 Scan Module • Field installable SR500 scan module for KC401, -25-degree scan angle • Compatible for either portrait or landscape orientation • Includes 2 x Philips head screws This angle is designed for use cases when scan should trigger behind the device, when KC401 is mounted at angle and scanned object is below (example use case = parcel return)

Power and communication

Power supply and legacy supply connector

[Scanner](#)

[Power and communication](#)

[Cables](#)

[Mounting](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
36W Power Supply SKU# PWR-BGA12V36W0WW	KC401 Power Supply - LEVEL VI AC/DC POWER SUPPLY. 5.5/2.1 PLUG. AC INPUT. DC OUTPUT: 12V, 3A, 36W. - Sold separately: Country-Specific C5 Grounded AC Line cord, please see cables
	
DC Jack Connector SKU# MISC-KC401-PLUGCONV	DC Jack connector for PWR-BUA5V16W0WW compatibility with KC401 device, 4.0/1.7 to 5.5/2.1 adapter - Dongle for compatibility for legacy CC6000 power supply with KC401 device. - Legacy power supply provided sub optimal power delivery to KC401. Customers should consult Zebra representative regarding power requirements.
	

Country-specific C5 Grounded AC line cords

[Scanner](#)

[Power and communication](#)

[Cables](#)

[Mounting](#)

[Back to Table of contents](#)

SKU#	DESCRIPTION	
450040		North America (United States, Canada, Mexico) AC Line cord US Power Adapter C5 Grounded Cord
450041		UK AC Line cord UK Power Adapter
450042		EU AC Line cord US Power Adapter C5 Grounded Cord
450047		Australia / New Zealand AC Line cord US Power Adapter C5 Grounded Cord
ACC-L10LINECORD-JP		Japan AC Line cord US Power Adapter C5 Grounded Cord
ACC-L10LINECORD-IN		India AC Line cord US Power Adapter C5 Grounded Cord

Mounting

VESA mounting solutions



[Scanner](#)

[Power and communication](#)

[Cables](#)

[Mounting](#)

[Back to Table of contents](#)

ITEM/SKU#	DESCRIPTION
Pole Mount Kit SKU# KT-152096-03 	Pole Mount Bracket - Pole mount bracket allows kiosk to be mounted directly to a pole with dedicated power supply storage shelf - Compatible with KC401 and CC6000 100 x 100 VESA Mount - Approximately 2.0-2.4 lbs - Includes mounting hardware to attach kiosk to bracket as well as a security screw to lock the device safely onto the mount
Wall Mount Kit w/ Shelf SKU# KT-152097-03 	Wall Mounting Kit with Power Supply Storage Shelf - Wall mount bracket with dedicated shelf to store CC6 or KC401 device power supply - Compatible with KC401 and CC6000. 100 x 100 VESA Mount - Approximately 0.9-1.0 lbs - Includes mounting hardware to attach kiosk to bracket as well as a security screw to lock the device safely onto the mount
Wall Mount Kit SKU# KT-152097-04 	Wall Mount Bracket - Wall mount bracket with dedicated space to store device power supply - Compatible with KC401 and CC6000 100 x 100 VESA Mount - Replaces KT-152097-01 with improved locking mechanism - Includes mounting hardware to attach kiosk to bracket as well as a security screw to lock the device safely onto the mount
Thin Wall Mount Kit w/ Shelf SKU# KT-152098-03 	Wall Mount Bracket with Power Supply Storage; Thin profile - Wall mount bracket with dedicated shelf to store CC6 or KC401 device power supply - Compatible with KC401 and CC6000 100 x 100 VESA Mount - Thinner profile bracket compared with KC-152097-03 - Includes mounting hardware to attach kiosk to bracket as well as a security screw to lock the device safely onto the mount
Kiosk and Printer SKU# BRKT-DPA-SK1-01 	PrintKiosk mounting bracket for ZD4/6 printers and Kiosk - Unified mounting solution that securely holds both a kiosk tablet and desktop thermal printer. - Compatible with KC401 and CC6000 kiosks - Dual-standard 75 x 75 or 100 x 100 VESA Mount - Approximately 6.2 lbs. - Base plate size: 10.2" x 10.2" x 2.0" / 26 cm x 26 cm x 5 cm

Thank you

The Zebra wordmark and logo are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. Android is a trademark of Google LLC. All other trademarks are the property of their respective owners. ©2026 Zebra Technologies Corp. and/or its affiliates. 07/30/2026

