## **G Series Models Spares Parts Lists**


**GK420d** 

**GK420t** 

**GX420d** 


**GX420t** 

**GX430t** 




## GK420d: GK42-2X2XXX-XXX (The "2" in the 8th digit is the key designator for R2.0 on all G-series)

Item	Description	Part Number
1	Cover Assy (Direct Thermal) (includes Media Window)	105934-005
1a	Media Window (Direct Thermal)	105934-001
1b	Feed Switch (Direct Thermal)	105934-003
2	Upper Gap Sensor, Fixed (Direct Thermal)	P1027135-001
3	Print Mech. Fxd Sensor (DT) (inc Hinge, PH Cables, Feed Switch Cable)	P1027135-005
3a	Cover Hinge (Direct Thermal)	105934-047
4	GK Main Logic Board, USB/Serial, ZBI	P1027135-015
4a	Back Panel, USB/Serial/Parallel (Direct Thermal)	P1027135-019
4	GK Main Logic Board, USB/Ethernet, ZBI	P1027135-016
4a	Back Panel, USB/Ethernet (Direct Thermal)	105934-074
	Interface Fuse, 1A	105934-076
5	Rubber Foot (set of 5)	105934-024
6a	Front Bezel, Std (Direct Thermal)	105934-025
6b	Front Bezel, Dispenser (Direct Thermal)	P1027135-044
7	Head Up Sensor (Direct Thermal)	105934-041
8	Gap/Blackline Sensor, Fixed (Direct Thermal)	P1027135-011
9	Motor Assy., 203dpi (Direct Thermal)	P1027135-041
10	Platen, Std (Direct Thermal)	P1027135-039
	Platen Bearings (Direct Thermal)	105934-059
11	Printhead, 203dpi (Direct Thermal)	105934-037
12	Printhead Spring/Clip (Direct Thermal)	105934-040
13	Nameplate, GK420d (Direct Thermal)	105934-060
Not	Shipping Pack – Packaging for shipping the printer (Direct Thermal)	105934-150
Shown	Users CD-ROM	P1027135-049
	Power Supply, 60W C13 with US & Euro Cords	105934-053
	Power Cord, U.S. 120V IEC320C13 (set of 5)	105950-014
	Power Cord, Euro 220V IEC320C13 (set of 5)	105950-015
	Power Cord, U.K. 240V IEC320C13 (set of 5)	105950-030
	Power Cord, Australia 240V IEC320C13 (set of 5)	105950-029
	Power Cord, China 220V C13 (set of 5)	105950-078
	Power Cord, Japan 125V JAPAN C13 (set of 5)	105950-079
	Power Cord, 220V Argentina C13 (set of 5)	105950-080
	Power Cord,10A NBR 14136, Brazil (set of 5)	P1033401
	CD-ROM, Service, G-Series	105950-087



# GK420t: GK42-1X2XXX-XXX (The "2" in the 8th digit is the key designator for R2.0 on all G-series)


Item	Description	Part Number
1	Cover Assy (Thermal Transfer) (includes Media Window)	P1027135-050
1a	Media Window (Thermal Transfer)	105934-002
2	Feed Switch (Thermal Transfer)	105934-004
3	Ribbon Carriage, 203 dpi	P1027135-046
4	Upper Gap Sensor, Fixed (Thermal Transfer)	P1027135-003
5	Ribbon Out Sensor (Thermal Transfer)	P1027135-014
6	Prnt Mech Fxd Snsr,203(TT) inc Gap/Blkln Snsr, Motor, Pltn, Head Up Snsr	P1027135-007
6b	Gap/Blackline Sensor, Fixed (Thermal Transfer)	P1027135-013
6a	Head Up Sensor (Thermal Transfer)	105934-042
6c	Motor Assy., 203dpi (Thermal Transfer)	P1027135-043
6d	Platen, Std (Thermal Transfer)	P1027135-040
	Platen Bearings (Thermal Transfer)	105934-099
7	Cover Hinge Right and Left (Thermal Transfer)	105934-048
8	GK Main Logic Board, USB/Serial, ZBI	P1027135-015
8a	Back Panel, USB/Serial/Parallel (Thermal Transfer)	P1027135-020
8	GK Main Logic Board, USB/Ethernet, ZBI	P1027135-016
8a	Back Panel, USB/Ethernet (Thermal Transfer)	105934-075
	Interface Fuse, 1A	105934-076
9	Rubber Foot (set of 5)	105934-024
10a	Front Bezel, Std (Thermal Transfer)	105934-030
10b	Front Bezel, Dispenser (Thermal Transfer)	P1027135-045
11	Printhead, 203dpi (Thermal Transfer)	105934-038
12	Nameplate, GK420t (Thermal Transfer)	105934-061
Not	Shipping Pack – Packaging for shipping the printer (Thermal Transfer)	105934-151
Shown	Users CD-ROM	P1027135-049
	Power Supply, 60W C13 with US & Euro Cords	105934-053
	Power Cord, U.S. 120V IEC320C13 (set of 5)	105950-014
	Power Cord, Euro 220V IEC320C13 (set of 5)	105950-015
	Power Cord, U.K. 240V IEC320C13 (set of 5)	105950-030
	Power Cord, Australia 240V IEC320C13 (set of 5)	105950-029
	Power Cord,China 220V C13 (set of 5)	105950-078
	Power Cord, Japan 125V JAPAN C13 (set of 5)	105950-079
	Power Cord, 220V Argentina C13 (set of 5)	105950-080
	Power Cord,10A NBR 14136, Brazil (set of 5)	P1033401
	Ribbon Core, 4" thermal transfer (set of 50)	P1027135-048
	CD-ROM, Service, G-Series	105950-087



Item	Description	Part Number
1	Cover Assy (Direct Thermal) (includes Media Window) Cover Assy w/cutter (Direct Thermal) Cover Assy w/cutter, wireless (Direct Thermal) LCD Cover Assy (Direct Thermal) (includes Media Window)	105934-005 105934-108 105934-109 105934-049
1a 1b	Media Window (Direct Thermal) Feed Switch (Direct Thermal) LCD Display/Feed Switch (with Bluetooth Wireless) LCD Display/Feed Switch (with 802.11g Wireless)	105934-001 105934-003 105934-056 105934-057
2 2	Upper Gap Sensor, Fixed (Direct Thermal) Upper Gap Sensor, Movable (Direct Thermal)	P1027135-001 P1027135-002
3 3 3a	Print Mech. Fxd Sensor (DT) (inc Hinge, PH Cables, Feed Switch Cable) Print Mech. Mvbl Snsr (DT) (inc Hinge, Prnt Head Cbls, Feed Swtch Cable) Cover Hinge (Direct Thermal)	P1027135-005 P1027135-006 105934-047
4 4 4 4 4 4 4 4 4 4 4	GX Main Logic Board, USB/Serial/Parallel, ZBI GX Main Logic Board, USB/Serial/Parallel, 64MB, XMEM, RTC, ZBI GX MLB, USB/Serial/Parallel, 64MB, RTC, 203DPI,Liner Tag Cutter, ZBI Back Panel, USB/Serial/Parallel (Direct Thermal) GX Main Logic Board, USB/Serial/Ethernet, ZBI GX Main Logic Board, USB/Serial/Ethernet, 64MB, RTC, 203DPI, ZBI GX MLB, USB/Serial/Ethernet, 64MB, RTC,203DPI, Liner Tag Cutter, ZBI Back Panel, USB/Serial/Ethernet (Direct Thermal) GX Main Logic Board, USB/Serial/Bluetooth 64MB, 203 dpi, ZBI GX MLB, USB/Serial/Bluetooth,64MB, 203DPI,Liner Tag Cutter,ZBI Back Panel, USB/Serial/Wireless (Direct Thermal) GX MLB USB, Serial, 802.11b/g Wireless, 64MB,203DPI,RTC,CTR,ZBI,ZComax Interface Fuse, 1A	P1027135-017 P1027135-018 P1027135-035 P1027135-019 P1027135-021 P1027135-036 P1027135-033 105934-086 P1027135-038 P1027135-031 105934-089 P1040103-003 P1040103-004 105934-076
5	Rubber Foot (set of 5)	105934-024
6a 6b 6c 6c 6c	Front Bezel, Std (Direct Thermal) Front Bezel, Dispenser (Direct Thermal) Light Duty Cutter (Direct Thermal) Medium Duty Liner Free Cutter (Direct Thermal) Medium Duty Full Cut Cutter (Direct Thermal)	105934-025 P1027135-044 105934-027 105934-055 105934-029
7	Head Up Sensor (Direct Thermal)	105934-041
8	Gap/Blackline Sensor, Fixed (Direct Thermal)	P1027135-011
8 9	Gap/Blackline Sensor, Moveable Motor Assy., 203dpi (Direct Thermal)	P1027135-012 P1027135-041
10	Platen, Std (Direct Thermal) Platen Bearings (Direct Thermal)	P1027135-041 P1027135-039 105934-059

# GX420d: GX42-2X2XXX-XXX (The "2" in the 8th digit is the key designator for R2.0 on all G-series)

Item	Description	Part Number
11	Printhead, 203dpi (Direct Thermal)	105934-037
12	Printhead Spring/Clip (Direct Thermal)	105934-040
13	Nameplate, GX420d (Direct Thermal) Nameplate, GX420d with LCD (Direct Thermal)	105934-062 105934-067
Not Shown	Shipping Pack – Packaging for shipping the printer (Direct Thermal) Users CD-ROM Power Supply, 75W, C13, with US & Euro Cords Power Cord, U.S. 120V IEC320C13 (set of 5) Power Cord, Euro 220V IEC320C13 (set of 5) Power Cord, U.K. 240V IEC320C13 (set of 5) Power Cord, Australia 240V IEC320C13 (set of 5) Power Cord, China 220V C13 (set of 5) Power Cord, Japan 125V JAPAN C13 (set of 5) Power Cord, 220V Argentina C13 (set of 5) Power Cord, 10A NBR 14136, Brazil (set of 5) CD-ROM, Service, G-Series	105934-150 P1027135-049 P1079903-026 105950-014 105950-015 105950-030 105950-029 105950-078 105950-079 105950-080 P1033401 105950-087




#### GX420t: GX42-1X2XXX-XXX (The "2" in the 8th digit is the key designator for R2.0 on all G-series)

Item	Description	Part Number
1	Cover Assy (Thermal Transfer) (includes Media Window)	P1027135-050
1a	Media Window (Thermal Transfer)	105934-002
2	Feed Switch (Thermal Transfer)	105934-004
	LCD Display/Feed Switch (with Bluetooth Wireless)	105934-056
	LCD Display/Feed Switch (with 802.11g Wireless)	105934-057
3	Ribbon Carriage, 203 dpi	P1027135-046
4	Upper Gap Sensor, Fixed (Thermal Transfer)	P1027135-003
	Upper Gap Sensor, Movable (Thermal Transfer)	P1027135-004
5	Ribbon Out Sensor (Thermal Transfer)	P1027135-014
6	Prnt Mech Fxd Snsr,203dpi(TT) inc Gap/Blkln Snsr, Motor, Pltn, Head Up Snsr	P1027135-007
6b	Gap/Blackline Sensor, Fixed (Thermal Transfer)	P1027135-013
6	PrintMech Mvbl Snsr,203dpi(TT)inc Gap/Blckln Snsr,Mtr,Pltn,HeadUp Snsr	P1027135-008
6b	Gap/Blackline Sensor, Moveable	P1027135-012
6a	Head Up Sensor (Thermal Transfer)	105934-042
6c	Motor Assy., 203dpi (Thermal Transfer)	P1027135-043
6d	Platen, Std (Thermal Transfer)	P1027135-040
	Platen Bearings (Thermal Transfer)	105934-099
7	Cover Hinge Right and Left (Thermal Transfer)	105934-048
8	GX Main Logic Board, USB/Serial/Parallel, ZBI	P1027135-017
8	GX Main Logic Board, USB/Serial/Parallel, 64MB, XMEM, RTC, ZBI	P1027135-018
	GX MLB, USB/Serial/Parallel, 64MB, RTC, 203DPI,Liner Tag Cutter, ZBI	P1027135-035
8a	Back Panel, USB/Serial/Parallel (Thermal Transfer)	P1027135-020
8	GX Main Logic Board, USB/Serial/Ethernet, ZBI	P1027135-021
8	GX Main Logic Board, USB/Serial/Ethernet, 64MB, RTC, 203DPI, ZBI	P1027135-036
8a	GX MLB, USB/Serial/Ethernet, 64MB, RTC,203DPI, Liner Tag Cutter, ZBI	P1027135-033
8	Back Panel, USB/Serial/Ethernet (Thermal Transfer)	105934-087
8	GX Main Logic Board, USB/Serial/Bluetooth 64MB, 203 dpi, ZBI	P1027135-038
8a	GX MLB, USB/Serial/Bluetooth 64MB, 200DPI,Liner Tag Cutter,ZBI	P1027135-031
	Back Panel, USB/Serial/Wireless (Thermal Transfer)	105934-090
8 8	GX MLB USB, Serial, 802.11b/g Wireless,64MB,203DPI,RTC,CTR,ZBI,ZComax	P1040103-003
0	GX MLB USB, Serial, 802.11b/g Wireless 64MB,203DPI,RTC,ZBI,ZComax	P1040103-004
	Interface Fuse, 1A	105934-076

#### GX420t: GX42-1X2XXX-XXX (The "2" in the 8th digit is the key designator for R2.0 on all G-series)

Item	Description	Part Number
9	Rubber Foot (set of 5)	105934-024
10a	Front Bezel, Std (Thermal Transfer)	105934-030
10b	Front Bezel, Dispenser (Thermal Transfer)	P1027135-045
10c	Light Duty Cutter (Thermal Transfer)	105934-032
10c	Med Duty Partial Cutter (Thermal Transfer)	105934-110
10c	Medium Duty Full Cut Cutter (Thermal Transfer)	105934-033
11	Printhead, 203dpi (Thermal Transfer)	105934-038
12	Nameplate, GX420t (Thermal Transfer)	105934-063
	Nameplate, GX420t with LCD (Thermal Transfer)	105934-068
Not	Shipping Pack -Packaging for shipping the printer (Thermal Transfer)	105934-151
Shown	Users CD-ROM	P1027135-049
	Power Supply, 75W, C13, with US & Euro Cords	P1079903-026
	Power Cord, U.S. 120V IEC320C13 (set of 5)	105950-014
	Power Cord, Euro 220V IEC320C13 (set of 5)	105950-015
	Power Cord, U.K. 240V IEC320C13 (set of 5)	105950-030
	Power Cord, Australia 240V IEC320C13 (set of 5)	105950-029
	Power Cord, China 220V C13 (set of 5)	105950-078
	Power Cord, Japan 125V JAPAN C13 (set of 5)	105950-079
	Power Cord, 220V Argentina C13 (set of 5)	105950-080
	Power Cord,10A NBR 14136, Brazil (set of 5)	P1033401
	Ribbon Core, 4" thermal transfer (set of 50)	P1027135-048
	CD-ROM, Service, G-Series	105950-087



Note: the printer base is only available through the Zebra Repair Depot.

Page 12 of 14 January 15, 2024

# GX430t: GX43-1X2XXX-XXX (The "2" in the 8th digit is the key designator for R2.0 on all G-series)

Item	Description	Part Number
1	Cover Assy (Thermal Transfer) (includes Media Window)	P1027135-050
1a	Media Window ( Thermal Transfer)	105934-002
2	Feed Switch (Thermal Transfer)	105934-004
	LCD Display/Feed Switch (with Bluetooth Wireless)	105934-056
	LCD Display/Feed Switch (with 802.11g Wireless)	105934-057
3	Ribbon Carriage, 300 dpi	P1027135-047
4	Upper Gap Sensor, Fixed (Thermal Transfer)	P1027135-003
	Upper Gap Sensor, Movable (Thermal Transfer)	P1027135-004
5	Ribbon Out Sensor (Thermal Transfer)	P1027135-014
6	PrntMech Fxd Snsr,300(TT) inc Gap/Blkln Snsr, Motor, Pltn, Head Up Snsr	P1027135-009
6b	Gap/Blackline Sensor, Fixed (Thermal Transfer)	P1027135-013
6	PrntMech Mvbl Snsr,300 dpi(TT)inc Gap/Blckln Snsr,Mtr,Pltn,HeadUp Snsr	P1027135-010
6b	Gap/Blackline Sensor, Moveable	P1027135-012
6a	Head Up Sensor (Thermal Transfer)	105934-042
6c	Motor Assy., 300dpi	P1027135-042
6d	Platen, Std (Thermal Transfer)	P1027135-040
	Platen Bearings (Thermal Transfer)	105934-099
7	Cover Hinge Right and Left (Thermal Transfer)	105934-048
8 8	GX Main Logic Board, USB/Serial/Parallel, 300DPI, ZBI	P1027135-022
8	GX Main Logic Board, USB/Serial/Parallel, 64MB, RTC, 300DPI, ZBI	P1027135-023
8a	GX MLB, USB/Serial/Parallel, 64MB, RTC, 300DPI, Liner Tag Cutter, ZBI	P1027135-034
8	Back Panel, USB/Serial/Parallel (Thermal Transfer)	P1027135-020
8	GX Main Logic Board, USB/Serial/Ethernet, 300DPI, ZBI	P1027135-024
8	GX Main Logic Board, USB/Serial/Ethernet, 64MB, RTC, 300DPI, ZBI	P1027135-025
8a	GX MLB, USB/Serial/Ethernet, 64MB, RTC, 300DPI, Liner Tag Cutter, ZBI	P1027135-032
8	Back Panel, USB/Serial/Ethernet (Thermal Transfer)	105934-087
8	GX Main Logic Board, USB/Serial/Bluetooth 64MB, 300DPI, ZBI	P1027135-027
8a	GX MLB, USB/Serial/Bluetooth 64MB,300DPI,Liner Tag Cutter,ZBI	P1027135-030
	Back Panel, USB/Serial/Wireless (Thermal Transfer)	105934-090
8 8	GX MLB USB, Serial, 802.11b/g Wireless, 64MB,300DPI,RTC,ZBI,ZComax	P1040103-001
	GX MLB USB, Serial, 802.11 b/g Wireless, 64MB,300DPI,RTC,CTR,ZBI,ZComax	P1040103-002
	Interface Fuse, 1A	105934-076

# GX430t: GX43-1X2XXX-XXX (The "2" in the 8th digit is the key designator for R2.0 on all G-series)

Item	Description	Part Number
9	Rubber Foot (set of 5)	105934-024
10a	Front Bezel, Std (Thermal Transfer)	105934-030
10b	Front Bezel, Dispenser (Thermal Transfer)	P1027135-045
10c	Med Duty Partial Cutter (Thermal Transfer)	105934-110
10c	Light Duty Cutter (Thermal Transfer)	105934-032
10c	Medium Duty Full Cut Cutter (Thermal Transfer)	105934-033
11	Printhead, 300dpi (Thermal Transfer)	105934-039
12	Nameplate, GX430t (Thermal Transfer)	105934-064
	Nameplate, GX430t with LCD (Thermal Transfer)	105934-069
Not	Shipping Pack – Packaging for shipping the printer (Thermal Transfer)	105934-151
Shown	Users CD-ROM	P1027135-049
	Power Supply, 75W, C13, with US & Euro Cords	P1079903-026
	Power Cord, U.S. 120V IEC320C13 (set of 5)	105950-014
	Power Cord, Euro 220V IEC320C13 (set of 5)	105950-015
	Power Cord, U.K. 240V IEC320C13 (set of 5)	105950-030
	Power Cord, Australia 240V IEC320C13 (set of 5)	105950-029
	Power Cord, China 220V C13 (set of 5)	105950-078
	Power Cord, Japan 125V JAPAN C13 (set of 5)	105950-079
	Power Cord, 220V Argentina C13 (set of 5)	105950-080
	Power Cord,10A NBR 14136, Brazil (set of 5)	P1033401
	Ribbon Core, 4" thermal transfer (set of 50)	P1027135-048
	CD-ROM, Service, G-Series	105950-087