

Zebra® Supplies

ZipShip(SM) Price List - RFID



Zebra is one of the largest converters of thermal supplies in North America. Featuring the largest selection of pre-tested, high-quality labels, tags, receipt paper, wristbands, cards and ribbons, Zebra can provide a solution for virtually any application.

Effective April 8, 2025

ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2025 Zebra Technologies Corp. and/or its affiliates.



Certified Supplies

The perfect match for your RAIN RFID printer

Using inlays from leading manufacturers, as well as our own Zebra-branded inlays, Zebra offers 50+ labels in stock. We can also create a custom solution for you–with just about any thermal material and inlay to meet the requirements of your unique application. Designed and tested with Zebra printers and RAIN RFID readers, our Certified Supplies ensure high performance.

General purpose

- · Paper and synthetic labels, designed for use with standard applications
- · Best for non-metallic surfaces, plastics or corrugate
- ZBR2000 Zebra-branded inlay for longer read ranges and faster tag acquisition

Advanced

- Paper and synthetic labels that offer a higher level of readability performance than our general purpose labels
- ZBR4000 and ZBR4001 Zebra-branded advanced UHF RFID inlays offer a higher level of performance than general purpose inlays

Specialty

 Unique solutions and designs created to maximize read range for metal and challenging surfaces

Print Confident. Print Secure. Print Zebra.

One of the largest offerings of in-stock and ready-to-ship RAIN RFID labels



Outstanding Performance

The latest chip technology and proprietary inlays provide enhanced performance.



Reliable Consistency

The same label material used from order to order results in consistent print and adhesive performance every time.



RFID Solution Expertise

As the developer of RFID readers and printers, Zebra can recommend the labeling solution that optimizes the performance of each RFID solution.



I. Testing Capabilities

With our Voyantic test equipment, we can identify the optimal inlay for the surface being labeled to ensure maximum read ranges.



In-House Manufacturing Capabilities

Zebra's state-of-the-art presses and RFID manufacturing equipment enables us to meet your RFID supplies need quickly.



The Right Solution for Your Use Case

With over 300 certified combinations of direct thermal and thermal transfer materials and access to inlays from the leading providers, we can deliver the optimal solution for the surface to maximize read performance.



General Purpose RFID Labels

General Purpose RFID Labels Zebra's General Purpose RFID label offering includes a variety of inlay types and works on most non-metallic surfaces, such as plastic and corrugate. Typical applications include labeling of cases, pallets, products and healthcare specimens. Zebra's RFID labels have been tested and optimized to work with Zebra's RFID printers and readers. Due to the many variables that can affect read range, we recommend testing in your environment to determine which label works best in your application.

Labels for Industrial Printers (3" ID, 8" OD)

Thermal Transfer RFID Labels - pair with Zebra's 6000 wax or 3200 wax/resin ribbon For use with Zebra's RXi4, ZT400R, ZT600R, and ZE500R

	S	ize							Labels/	Rolls/	Case	Stock	Price/	Price/	
	W	х	L	Part #	Perf.	Inlay	Chip	Material	Roll	Case	Weight		Roll	Label	
(0.94	х	0.55	10041945		EOS-200	UCODE 9XE	PolyPro 3000T	5,000	1	5 lbs.	CA	\$ 783.91	\$ 0.157	_
	1.75	х	0.75	10041942		BT781	UCODE 9	PolyPro 3000T	5,000	1	7 lbs.	CA	\$ 688.53	\$ 0.138	
	1.81	х	0.87	10043601		AD-Sonic	M830	Z-Perform 1500T	3,200	2	10 lbs.	WI	\$ 291.41	\$ 0.091	NEW
	1.84	х	1.25	10040904		EOS-261	M730	Z-Perform 2000D	3,500	4	20 lbs.	WI	\$ 220.16	\$ 0.063	
	1.84	х	1.25	10040903		EOS-261	M730	Z-Perform 1500T	3,500	4	20 lbs.	WI	\$ 220.16	\$ 0.063	
:	2.09	х	0.69	10043603		AD-Stealth	M830	Z-Perform 1500T	3,500	3	15 lbs.	WI	\$ 334.37	\$ 0.096	NEW
:	2.09	х	1.3	10041947		BT793	UCODE 9	Z-Perform 1500T	2,700	1	4 lbs.	CA	\$ 239.52	\$ 0.089	
	2.38	х	1.75	10038232		BT793	UCODE 9	Z-Perform 1500T	2,750	1	4 lbs.	WI	\$ 437.75	\$ 0.159	
	2.87	х	0.53	10043602		AD-Burst	M830	Z-Perform 1500T	5,000	2	12 lbs.	CA	\$ 441.71	\$ 0.088	NEW
	3	х	1	10038999		BT0573	UCODE 9	Z-Perform 1500T	4,000	1	5 lbs.	WI	\$ 354.84	\$ 0.089	
	3.88	х	0.45	10036818		ZBR2000	UCODE 8	PolyPro 3000T	5,000	1	6 lbs.	WI	\$ 679.10	\$ 0.136	-
	4	х	2	10038998		ZBR2100	UCODE 9	Z-Perform 1500T	2,000	1	4 lbs.	WI	\$ 193.54	\$ 0.097	
	4	х	3	10038997		ZBR2100	UCODE 9	Z-Perform 1500T	1,500	1	6 lbs.	WI	\$ 223.98	\$ 0.149	-
	4	х	6	10038996		ZBR2100	UCODE 9	Z-Perform 1500T	1,000	1	6 lbs.	WI	\$ 120.97	\$ 0.121	

Part numbers less than 2" width will not work in the ZT420R and ZT620R printers due to minimum length specs.

RFID Value Range - Essential RFID labels at the best prices.



General Purpose RFID Labels

General Purpose RFID Labels Zebra's General Purpose RFID label offering includes a variety of inlay types and works on most non-metallic surfaces, such as plastic and corrugate. Typical applications include labeling of cases, pallets, products and healthcare specimens. Zebra's RFID labels have been tested and optimized to work with Zebra's RFID printers and readers. Due to the many variables that can affect read range, we recommend testing in your environment to determine which label works best in your application.

Labels for Desktop and Industrial Printers (3" ID, 5" OD)

Thermal Transfer RFID Labels - pair with Zebra's 6000 wax or 3200 wax/resin ribbon For use with Zebra's ZD621R, ZD500R, RXi4, ZT400R, and ZT600R printers

9	ize							Labels/	Rolls/	Case	Stock	Price/	Price/
W	х	L	Part #	Perf.	Inlay	Chip	Material	Roll	Case	Weight		Roll	Label
0.94	х	0.56	10041943		EOS-200	UCODE 9XE	PolyPro 3000T	1,500	2	3 lbs.	CA	\$ 291.16	\$ 0.194
1.75	х	0.75	10041946		BT781	UCODE 9	PolyPro 3000T	1,000	2	3 lbs.	CA	\$ 167.80	\$ 0.168
2.38	х	1.75	10038231		BT793	UCODE 9	Z-Perform 1500T	750	2	4 lbs.	WI	\$ 144.20	\$ 0.192
2.87	х	0.67	10026630		Belt	UCODE 8	Z-Perform 1500T	1,000	2	2 lbs.	WI	\$ 225.65	\$ 0.226
3	х	1	10039015		BT0573	UCODE 9	Z-Perform 1500T	1,000	2	2 lbs.	WI	\$ 158.66	\$ 0.159
4	х	2	10039003	Х	ZBR2100	UCODE 9	Z-Perform 1500T	500	2	3 lbs.	WI	\$ 78.39	\$ 0.157
 4	х	6	10039002	Х	ZBR2100	UCODE 9	Z-Perform 1500T	200	2	3 lbs.	WI	\$ 36.97	\$ 0.185

Part numbers less than 2" width will not work in the ZT420R and ZT620R printers due to minimum length specs.

Labels for Mobile Printers (0.75" ID)

Direct thermal RFID labels

For use with Zebra's ZQ520R, ZQ521R, and ZQ630R printers

	S	Size							Labels/	Rolls/	Case	Stock	Price/	Price/
	w	х	L	Part #	Perf.	Inlay	Chip	Material	Roll	Case	Weight		Roll	Label
	1.75	х	0.75	10039674	Х	EOS-241	M730	PolyPro 4000D	400	12	6 lbs.	WI	\$ 91.85	\$ 0.230
*	1.75	х	0.75	10037102	Х	EOS-241	UCODE 8	PolyPro 4000D	300	12	5 lbs.	WI	\$ 68.74	\$ 0.229
	3	х	1	10039020		BT0573	UCODE 9	PolyPro 4000D	260	12	3 lbs.	WI	\$ 46.10	\$ 0.177
	4	х	2	10039019	Х	ZBR2100	UCODE 9	Z-Perform 2000D	180	12	6 lbs.	WI	\$ 31.58	\$ 0.175
	4	х	6	10039018	Х	ZBR2100	UCODE 9	Z-Perform 2000D	75	12	6 lbs.	WI	\$ 15.26	\$ 0.203

* Also suitable for use in ZQ511R (0.75" Core, 2" OD) All mobile labels equipped with black mark sensing



Advanced RFID Labels

Zebra's Advanced RFID labels provide a higher level of read performance than our General Purpose RFID labels in similar applications. Typical applications include labeling of cases, pallets, products and healthcare specimens where longer read ranges are required. Zebra's RFID labels have been tested and optimized to work with Zebra's RFID printers and readers. Due to the many variables that can affect read range, we recommend testing in your environment to determine which label works best in your situation.

Labels for Industrial Printers (3" ID, 8" OD)

For Thermal Transfer RFID Labels - pair with Zebra's 6000 wax or 3200 wax/resin ribbon For use with Zebra's RXi4, ZT400R, ZT600R and ZE500R printers

S	ize							Labels/	Rolls/	Case	Stock	Price/	Price/
W	х	L	Part #	Perf.	Inlay	Chip	Material	Roll	Case	Weight		Roll	Label
3.88	х	1.06	10041944		DogBone	UCODE 9	Z-Perform 1500T	3,000	1	3 lbs.	CA	\$ 782.27	\$ 0.261
4	х	2	10039001		ZBR4100	UCODE 9	Z-Perform 1500T	1,500	1	3 lbs.	WI	\$ 376.09	\$ 0.251
4	х	2	10035242		ZBR4001	UCODE 7xm	Z-Perform 1500T	1,500	1	3 lbs.	WI	\$ 517.85	\$ 0.345
4	х	6	10039000		ZBR4100	UCODE 9	Z-Perform 1500T	800	1	5 lbs.	WI	\$ 226.82	\$ 0.284

*Direct thermal media

Part numbers less than 2" width will not work in the ZT420R and ZT620R printers due to minimum length specs.

Labels for Desktop and Industrial Printers (3" ID, 5" OD)

Thermal Transfer RFID Labels - pair with Zebra's 6000 wax or 3200 wax/resin ribbon For use with Zebra's ZD621R, ZD500R, RXi4, ZT400R, and ZT600R printers

	Size						Labels/	Rolls/	Case	Stock	Price/	Price/
W	х	L	Part # Perf.	Inlay	Chip	Material	Roll	Case	Weight		Roll	Label
3.82	х	1.06	10026641	DogBone	UCODE 8	Z-Perform 1500T	1,000	2	2 lbs.	WI	\$ 298.56	\$ 0.299
4	х	2	10039017	ZBR4100	UCODE 9	Z-Perform 1500T	500	2	3 lbs.	WI	\$ 143.49	\$ 0.287
4	х	6	10039016	ZBR4100	UCODE 9	Z-Perform 1500T	200	2	3 lbs.	WI	\$ 64.23	\$ 0.321

Labels for Mobile Printers (0.75" ID)

Direct thermal RFID labels

For use with Zebra's ZQ520R, ZQ521R, and ZQ630R printers

	Size	9							Labels/	Rolls/	Case	Stock	Price/	Price/
W	x		L	Part #	Perf.	Inlay	Chip	Material	Roll	Case	Weight		Roll	Label
4	х		6	10039021	Х	ZBR4100	UCODE 9	PolyPro 4000D	65	12	5 lbs.	WI	\$ 26.09	\$ 0.401
4	х		2	10039022	Х	ZBR4100	UCODE 9	PolyPro 4000D	190	12	5 lbs.	WI	\$ 62.06	\$ 0.327



Specialty RFID Labels - On Metal

Zebra's Silverline RFID labels are optimized for use on metal surfaces. Designed and verified for use only with Zebra's ZT411 On-Metal RFID Printer. For detailed specifications, please see the Silverline spec sheets on www.zebra.com.

Labels for Industrial Printers (3" ID, 8" OD)

For Thermal Transfer RFID Labels - pair with Zebra's 5095 resin ribbon For use with Zebra's ZT411 On-Metal RFID Printer

S	Size						Labels/	Rolls/	Case	Stock	Price/	Price/
W	х	L	Part #	Perf. Inlay	Chip	Material	Roll	Case	Weight	WI	Roll	Label
1.77	х	0.51	10026764	Silverline Micro II FCC	Monza R6P	Polyester	600	1	4 lbs.	WI	\$ 297.12	\$ 0.495
2.36	х	0.98	10026768	Silverline Blade II FCC	M730	Polyester	400	1	4 lbs.	WI	\$ 358.32	\$ 0.896
2.36	х	0.98	10039973	Silverline Blade II+ Global	M780	Polyester	400	1	4 lbs.	WI	\$ 394.15	\$ 0.985
3.94	х	0.51	10026766	Silverline Slim II FCC	Monza R6P	Polyester	600	1	4 lbs.	WI	\$ 395.94	\$ 0.660
3.94	х	1.57	10026770	Silverline Classic II FCC	M730	Polyester	250	1	5 lbs.	WI	\$ 320.49	\$ 1.282

Part numbers less than 2" width will not work in the ZT420R and ZT620R printers due to minimum length specs.

RFID Wristbands (1" ID, 5" OD)

Zebra's Z-Band UHF RFID durable direct thermal printable wristbands simplify the identification of patients in clinical environments or guests at event venues.

Direct Thermal Wristbands

For use with Zebra's ZD621 & ZD500R printers.

	Size							Labels/	Rolls/	Case	Stock	Price/	Price/
W	х	L	Part #	Perf.	Inlay	Chip	Material	Roll	Case	Weight	WI	Roll	Wristband
1	х	11	3014578	Х	BT0600	UCODE 8	Z-Band Direct	175	3	3 lbs.	WI	\$ 183.07	\$ 1.046
1	х	14	ZIPRD3015155	Х	ZBR2002	UCODE 8	Z-Band UltraSoft	175	3	3 lbs.	WI	\$ 313.83	\$ 1.793

Pharma Label (1" ID, 5" OD)

Designed for use on small pharmaceutical vials. This inlay excels on liquid vials with curved surfaces. Meets ARC Spec S.

Thermal Transfer RFID Label. Pair with Zebra's 3200 Wax/Resin for good chemical resistance. For use with Zebra's Desktop RFID Printers

	Size							Labels/	Rolls/	Case	Stock	Price/	Price/
W	х	L	Part #	Perf.	Inlay	Chip	Material	Roll	Case	Weight	WI	Roll	Label
1	х	0.55	10038810	Х	EOS-202	UCODE 9	PolyPro 3000T	1,500	2	2 lbs.	WI	\$ 282.68	\$ 0.188

x = New Item

ZipShip

RFID PRINTER MEDIA



Specialty RFID Labels - Jewelry Label

Zebra's Specialty RFID labels are designed to work with Zebra's RFID printers and readers. This item has a tail that inserts between two adhesive films creating a loop and a flag securing the inlay to the product. Tail is adhesive free and will not stick to jewelry. Useful for identifying small diameters < 0.3" (8mm).

Labels for Desktop or Industrial Printers (3" ID, 5" OD)

Thermal Transfer RFID Labels - pair with Zebra's 5095 resin ribbon For use with Zebra's ZD621R, ZD500R, RXi4, ZT400R, ZT600R

	Size							Labels/	Rolls/	Case	Stock	Price/	Price/
W	х	L	Part #	Perf.	10041052	Chip	Material	Roll	Case	Weight		Roll	Label
 3	x	0.55	10038478		EOS-200	UCODE 9	Z-Ultimate 4000T	1,500	2	3 lbs.	WI	\$ 246.02	\$ 0.164

Specialty RFID Labels - Flag Label

Zebra's Specialty RFID labels are designed to work with Zebra's RFID printers and readers. This item folds in the center and then on the interior perf creating a fin design which may be used to increase read range on challenging RFID materials like densely packed items, or items that have metals or liquid contents.

Labels for Industrial Printers (3" ID, 8" OD)

Thermal Transfer RFID Labels - pair with Zebra's 3200 wax/resin ribbon For use with Zebra's RXi4, ZT400R, ZT600R, ZE500R

	Size						Labels/	Rolls/	Case	Stock	Price/	Price/
W	х	L	Part # Perf.	Inlay	Chip	Material	Roll	Case	Weight		Roll	Label
 4	х	6	10036473	ZBR4000	UCODE 8	PolyPro 3000T	750	1	5 lbs.	WI	\$ 244.96	\$ 0.327

Specialty RFID Labels - On-Metal Flag Label

Zebra's Specialty RFID labels are designed to work with Zebra's RFID printers and readers. This item folds at the perf and then is applied to metal items. The unique antenna design provides enhanced readability on metal items at a more economical price than Silverline.

Labels for Desktop or Industrial Printers (3" ID, 5" OD)

Thermal Transfer RFID Labels - pair with Zebra's 5095 resin ribbon For use with Zebra's ZD621R, ZD500R, RXi4, ZT400R, ZT600R

	Size							Labels/	Rolls/	Case	Stock	Price/	Price/
W	х	L	Part #	Perf.	Inlay	Chip	Material	Roll	Case	Weight	WI	Roll	Label
2.67	х	1	10026781		BT577	Monza R6-P	Z-Ultimate 4000T	1,500	2	2 lbs.	WI	\$ 479.94	\$ 0.320

ZipShip

RFID HARD TAGS



RFID Hard Tags

When the application requires durability beyond what a label can provide, a hard tag is a suitable option. These hard tags are durable, rugged sealed solutions which offer significant protection to the RFID inlay. They also can use mechanical, adhesive, or both to increase attachment to the product being identified. Please inquire about customizing these hard tags.



Ironside Slim 10041053

Fully Enclosed Hard Rugged Tags

	Size						Attachment	Tags/	Case	Stock	Price/	Price/
W	х	L	Part #	Inlay	Chip	Material	Method	Case	Weight	WI	Case	Tag
2.03	3 x	1.87	10041052	Ironside Classic	M780	NA	Screw	500	24 lbs.	WI	\$ 3,155.00	\$ 6.310
3.35	5 x	0.83	10041053	Ironside Slim	M780	NA	Screw	600	20 lbs.	WI	\$ 3,486.00	\$ 5.810

For use on and off metal assets



Steelwave Classic Kit 10041055

Hard Tag Personalization Kit

	Size				Attachment	Tags/	Case	Stock	Price/	Price/		
w	х	L	Part #	Inlay	Chip	Material	Method	Case	Weight	WI	Case	Tag
4.53	х	1.18	10041055	Steelwave Classic kit	M780	Thermal poly label	Adhesive	1.000	20 lbs.	WI	\$ 5.130.00	\$ 5.130

Includes thermal transfer printable UHF RFID labels and durable plastic tray with adhesive for application. Reads well on and off metal Label Size is 4.21" x 0.87" (107mm x 22mm)

Printing with 05100BK11045 resin ribbon recommended (not included in kit).

ZipShip

RFID PRINTER MEDIA



Manufacturer	Name	EPC Memory (bits)	User Memory (bits)	TID Prefix	Read Sensitivity	Write Sensitivity	Notes
Alien	Higgs 3	96/480	512/128	E200 3412	-18 dBm	-14 dBm	EPC can extend up to 480 bits by taking from
Alien	Higgs 4	128	128	E200 3414	-19 dBm	-16 dBm	User memory in 64 bit blocks.
Alien	Higgs EC	128	128	1200 3414	-20 dBm	-17 dBm	
Alien	Higgs 9	96	688		-18 dBm	-16 dBm	EPC can extend up to 496 bits by taking from User memory.
Impinj	Monza 4D	128	32	E280 1100	-20 dBm	-17 dBm	
Impinj	Monza 4E	496	128	E280 110C	-20 dBm	-17 dBm	
Impinj	Monza 4i	256	480	E280 1114	-20 dBm	-17 dBm	
Impinj	Monza 4QT	128	512	E280 1105	10041052	-17 dBm	
Impinj	Monza 5	128	32	E280 1102	-20 dBm	-16 dBm	
Impinj	R6	96	0	E280 1160	-22 dBm	-17 dBm	
Impinj	R6-P	128/96	32/64	E280 1170	-22 dBm	-17 dBm	User can extend to 64 bits by taking 32 bits from EPC memory.
Impinj	R6-B	96	0	E280 1171	-22 dBm	-17 dBm	
Impinj	M730	128	0	E280 1191	-24 dBm	-21 dBm	
Impinj	M750	96	32	E280 1190	-24 dBm	-21 dBm	
Impinj	M770	128	32	E280 11A0	-24 dBm	-21 dBm	
Impinj	M775	128	32		-24 dBm	-21 dBm	
Impinj	M780	496	128	E280 11C0	-23.5 dBm	-20.5 dBm	
Impinj	M781	128	512	E280 11C1	-23.5 dBm	-20.5 dBm	
Impinj	M830	128	0	E280 11B0	-25.5 dBm	-20 dBm	
Impinj	M850	96	32	E280 11B0	-25.5 dBm	-20 dBm	
NXP	UCODE G2iL	128	0	E200 6806	-18 dBm		
NXP	UCODE G2iM	256	512	E200 680A	-18 dBm		
NXP	UCODE 7	128	0	E280 6810	-21 dBm	-16 dBm	
NXP	UCODE 7XM - 1K	448	1024	E280 6D12	-19 dBm	-12 dBm	
NXP	UCODE 7XM - 2K	448	2048	E280 6F12	-19 dBm	-12 dBm	
NXP	UCODE DNA	224	3072	E2C0 6892	-19 dBm	-11 dBm	
NXP	UCODE 8	128	0	E280 6894	-23 dBm	-18 dBm	
NXP	UCODE 9	96	0	E280 6995	-24 dBm	-22 dBm	
NXP	UCODE 9xe	128	0	E280 6A16	-24 dBm	-22 dBm	
NXP	UCODE 9xm	128 256 496	752 624 384	E280 6897	-24 dBm	-22 dBm	User configurable memory to 3 different EPC/User values to flex to different application needs

Latest generation highlighted

Additional notes on Read and Write Sensitivity:

6 dBm difference in sensitivity doubles read range, 1 dBm difference increases read range by 12%

Higher absolute numbers for read and write sensitivity will give longer ranges. (-23dBm will have longer read range than -21 dBM, all else held equal)



RFID Item Transitions

Discontinued (End of Life) items are orderable until stock runs out.

Discontinued Item	W x L	Inlay	Printer	Transition to:	W x L	Inlay	Notes
10036991	1.75 x 0.75	BT781 U8	Industrial	10041942	1.75 x 0.75	BT781 U9	New chip
10036992	1.75 x 0.75	BT781 U8	Ind/Desk	10041946	1.75 x 0.75	BT781 U9	New chip
10036487	0.94 x 0.55	EOS-200 U8	Industrial	10041945	0.94 x 0.56	EOS-200 U9xe	New label size, new chip
10036485	0.94 x 0.55	EOS-200 U8	Ind/Desk	10041943	0.94 x 0.56	EOS-200 U9xe	New label size, new chip
10026623	2.87 x 0.67	Belt U8	Industrial	10043602	2.87 x 0.53	AD-Burst M830	New label size, new chip