6100 Standard Wax/Resin Ribbon

Wax/Resin thermal transfer ribbon providing outstanding print quality, combined with chemical and solvent resistance

A standard wax/resin thermal transfer ribbon is a special ink formulation for use with Zebra thermal transfer printers. This ribbon provides outstanding print quality, combined with chemical and solvent resistance. By providing smear and scratch resistance on Zebra coated paper and matte synthetic label stocks, this ribbon results in excellent staying power and durability in harsh environments.



Suggested Applications

· Labels exposed to solvents and chemicals

- · Labels subject to abrasion or friction
- Outdoor labeling applications in extreme environments
- Chemical drum labeling applications
- Labels exposed to water, steam, alkali or acid solutions

Specifications

Attributes	
Color	Black
Ink Formulation	Wax/Resin
Base Film	Polyester
Base Film Caliper	4.5 microns
Total Caliper	7.1 microns +/- 10%
Scanning Capabilities	IR and Visible Light
Regulatory Complia	ance
Z-Xtreme 4000T White an Z-Xtreme 4000T High-Tao	nd Silver - UL Recognized :k White and Silver - UL Recognized
Product Performan	ce and Suitability
Percommended storage	72° E (22° C) at 50% PH

Recommended storage conditions	72° F (22° C) at 50% RH
Expected Shelf Life	1 Year

6100 Standard Wax/Resin Ribbon - UL certified ribbon, with outstanding print quality combined with chemical and solvent resistance for more challenging applications. For more information, please visit www.zebra.com/supplies



NA and Corporate Headquarters +1 800 423 0442 inquiry4@zebra.com Asia-Pacific Headquarters +65 6858 0722 contact.apac@zebra.com EMEA Headquarters zebra.com/locations contact.emea@zebra.com Latin America Headquarters zebra.com/locations la.contactme@zebra.com

ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2024 Zebra Technologies Corp. and/or its affiliates. 09/30/2024.

