

ZEBRA

8000T Primary Blood Bag


FEATURES

- Thermal transfer, polypropylene label with a permanent acrylic adhesive
- Meets FDA 175.105 for indirect food contact requirements
- Meets FDA Guidelines for Uniform Labeling of Blood and Blood Components
- · Good smear/scratch resistance
- Excellent chemical resistance
- This material is suitable for fanfolding
- Available in white (66916RM)

MATERIAL CONSTRUCTION

Component	Description	Caliper
Facestock	White matte topcoated polypropylene	3.7 mil
Adhesive	High-performance, acrylic-based	1.0 mil
Liner	50 lb. semi-bleached, kraft stock	3.2 mil
	TOTAL ± 10%	7.9 mil

ADHESIVE STRENGTH



TEMPERATURE PERFORMANCE

Minimum Application Temperature	Service Temperature	Optimal Storage Conditions
-10° F (-23° C)	-65° F to 250° F (-54° C to 93° C)	72° F (22° C) at 50% RH

Expected Exterior Life

1 year

CHEMICAL RESISTANCE

		Suggested Ribbon	
	Chemical	6100	3200
Weak	Blood	•	•
	Body Fluid	•	•
	Salt Water	•	•
	Water	•	•
	Window Cleaner	•	•
Moderate	Alcohol	•	•
	Ammonia	•	•
	Bleach	•	•
	IPA	•	•
Harsh	Gasoline	•	•
	Grease	•	•
	Oil	•	•
Extreme	Acetone	NR	NR
	IR Reflow	NR	NR
	MEK	NR	NR
	TCE	NR	NR
	Xylene	NR	NR

Recommended
 Test in Your Application NR Not Recommended

SUGGESTED APPLICATIONS

 Direct labeling of IV bags & blood bags



 Very good resistance to oil, alcohol, dirt, blood, and water



Chemical labeling



· Food labeling



All products should be pre-tested to ensure it meets all intended requirements of specific end-use applications.

For more information, visit www.zebra.com/supplies

Product Performance and Suitability: The information contained in this document is to be used for guidance only and is not intended for use in setting specifications. All purchasers of Zebra products shall be solely responsible for independently determining if the product conforms to all requirements of their unique application.

NA and Corporate Headquarters | +1 800 423 0442 | inquiry4@zebra.com