




TC51



() .

, .

.

" " . 가

. Zebra (가) Zebra 가

.

. 가

, 가

. 가

. 가

, , .

Zebra , , 가 .

Zebra , , .

, , Zebra 가 .

Zebra , , .

Zebra http://www.zebra.com/warranty .

가 (http://www.zebra.com/support) . 가

http://www.zebra.com/support .


, EVM-Techdocs@zebra.com .



TC51() TC51-HC()

ActiveEdge

BSP 19-01.4



microSD

microSD




microSD
ESD



ESD()

ESD

1.





2. microSD



3. microSD

4.

microSD




5. microSD




가

6.



- :
- 1. TC51
 - 2. 가



TC51

TC51 /

1

		()		USB	
1	USB/	CRD-TC51-1SCU-01			
5		CRD-TC51-5SCHG-01			
	가	CRD-TC51-5SC4B-01			
4		CRD-TC51-5SETH-01			
5		SAC-TC51-4SCHG-01			
4		CBL-TC51-USB1-01			
	/USB				








TC51

✓ TC51

1.
2. TC51 . TC51 / LED
(≥15.48 ()/≥4,150mAh) 2.5 90% 3 100%
90% 100% 14
Zebra . TC51

1.
2. 가
LED가 2
(≥15.48 ()/≥4,150mAh) 2.5 90% 3 100%
90% 100% 14
Zebra


2 / LED

	LED	
		TC51 . TC51 /
(4)		TC51 .
(4)		TC51 .
		
		
(1)		가 . : • 가 • (8).
(1)		가 . : • 가 • (8).


0°C~40°C(32°F~104°F)
가 (: +37°C(+98°F))

LED


1 USB




5





가 4



5



4



**/USB**

DataWedge

. TC51

1. TC51
2. TC51

(가)



1

3.

LED





TC51

가



4.

가

가



2



3

가

5.

LED가

가

6.





() 가

TC51

7.

가



4



Zebra Technologies Corporation
3 Overlook Point
Lincolnshire, Illinois 60069 USA
<http://www.zebra.com>

©2019 ZIH Corp / . All Rights Reserved. ZEBRA
ZIH Corp. .

