

Powering on and off

To power up your tablet, press the **Power** button and wait for Windows to appear on screen.

To shut down your XSLATE R12 from Windows®, tap the Windows icon  in the lower left corner of the screen or press the  **Keyboard** button. Tap **Power** and then tap **Shut down**. If Windows doesn't respond, force the tablet PC to shut down by pressing the **Power** button  for about five seconds.

Using sleep mode

Put your XSLATE R12 in Sleep mode when you go away for a short period of time to conserve battery power. When you return, the Tablet PC quickly resumes activity and your desktop is the same as you left it.

To put the Tablet PC in Sleep mode, press and release the **Power** button .

NOTE The power button blinks when the tablet is in sleep mode.

To wake up the tablet from Sleep mode, press the **Power** button again.

Locking and unlocking

To lock and unlock your XSLATE R12, press the **Security** button  on the left side of the Tablet PC.

Using the fingerprint reader

The XSLATE R12 is equipped with a fingerprint reader so that you can log on to your Tablet PC by scanning your fingerprint instead of entering a password. This provides an added level of security and is a fast and convenient way to log on to your tablet.

Using the pen

An important difference between traditional PCs and tablet PCs is that you frequently use a digitizer pen instead of a mouse and keyboard. The XSLATE R12 pen has a pressure-sensitive tip and a function button. Pressing the function button is equivalent to right-clicking a mouse.



Using touch

Your XSLATE R12 is equipped with touch, which means you can use your fingers to select items and open files, zoom in and out, scroll through browser windows and documents, and more.


Touch works like a mouse. Tap to select an item and double-tap to open it.

TIP To open a right-click menu using touch, press your finger on the display until a square appears. Then lift your finger and the shortcut menu appears.

Calibrate the pen and your finger so that they can be detected more accurately on the touchscreen display. You can do this calibration when you first start using your Tablet PC and whenever the pointer doesn't align with your pen or finger. To start the application, tap the **Tablet Center** tile, then tap **Tablet**, and then tap **Pen and Touch**.

Using the LED function buttons on the front of the XSLATE R12

The LED function buttons on the front of the Tablet PC provide many functions without using the pen. For some actions, you press a function button. For other actions, you press and hold the function button. These actions are listed in this table. You can also customize the buttons to perform actions that suit your needs.



	Press	Press and hold
Button 1	Tablet Center	Windows® Journal
Button 2	xCapture Pro™ application	Pictures directory
Button 3	Tablet PC settings or barcode reader (if equipped with the SlateMate™ option)	On-screen keyboard

Checking battery power

To check the remaining battery power, tap the power indicator in the Windows notification area. This icon changes appearance, depending on whether the Tablet PC is plugged in or running on battery.

If the Tablet PC is plugged in, tap the plug icon. 

If it is on battery power, tap the battery icon. 

The five lights on the back of the tablet battery also indicate the battery's level of charge—from one green light (20% charged) to five green lights (fully charged). Press the button to the right of the lights to view the remaining charge level.



Battery charge indicator lights

Press to view charge indicator lights.

Using the documentation camera

Your XSLATE R12 is equipped with an integrated 8-megapixel auto-focus camera. You can use the camera to take pictures and save them on the Tablet PC. The camera lens is on the back of the unit and includes a light to illuminate the subject.

To take a photograph:

1. Hold the camera steady and point the lens at the object.
2. Press the LED function button 2 once to activate the xCapture Pro™ application.
3. Press the **Camera** icon  to take the picture.

Documentation Camera




Using the web camera

Your XSLATE R12 also has a 2-megapixel web camera that supports color images and streaming video. The web camera is on the front of the tablet in the top center area.

To start the web camera, follow the instructions of the software you are using.

Web camera



Tablet Center


The Tablet Center provides a central location for accessing and configuring the most commonly used Windows® 10 settings.

To open the Tablet Center:

- Press function button 1 in the upper-left on the front of your tablet. (See the graphic of the LED buttons on page 3 for the location.)

OR

- From the Windows 10 Start screen, tap the **Tablet Center** tile.



This table lists some of the tasks you can do with the Tablet Center.

Category	Task
Tablet	Adjust pen and touch settings
	Configure Tablet PC settings
	Configure wireless settings
Power	Turn devices on or off
	Change what the power button does when pressed: sleep, hibernate, or shut down
	Access advanced power management settings

Setting up wireless

The XSLATE R12 includes built-in Wi-Fi and Bluetooth technology. Your Tablet PC might also be equipped with mobile broadband. To set up available wireless networks, follow the steps in these procedures.

Procedure: Setting up Wi-Fi technology

1. Enable Wi-Fi as follows:
 - a. Tap the **Notifications** icon  and tap **All settings**.
 - b. In the All settings menu, tap **Network Internet**.
 - c. Slide the Wi-Fi On/Off slider to **On**.
2. Select a wireless network from the list of available networks.
3. Follow the on-screen instructions.

Procedure: Setting up Bluetooth technology

1. Enable Bluetooth as follows:
 - a. Tap Notifications icon  and tap **All settings**.
 - b. In the All settings menu, tap **Devices**.
 - c. Under **Devices**, tap **Bluetooth**.
 - d. Slide the Bluetooth On/Off slider to **On** and the Tablet PC begins to search for Bluetooth devices.
2. To add a Bluetooth device:
 - a. Ensure that the Bluetooth device is discoverable according to the manufacturer's instructions. (When a Bluetooth device is discoverable, it is visible to other Bluetooth devices within range.)
 - b. Select the Bluetooth device from the list of devices.
 - c. Follow the on-screen instructions.

Procedure: Setting up Mobile Broadband with GPS (optional)

If you purchased your XSLATE R12 with the optional mobile broadband module, you can connect to high-speed cellular networks worldwide. With the mobile broadband module and a data plan from one of several cellular network providers, you have full Internet access.

NOTE Before you can connect to a mobile broadband network, you must have an active account with a cellular network provider and obtain a SIM card for mobile broadband access.

1. With the Tablet PC powered off, insert the SIM card and power the tablet on.
2. Enable mobile broadband as follows:
 - a. Tap the **Notifications** icon  and tap **All settings**.
 - b. In the All settings menu, tap **Network Internet** and then tap **Cellular**.
 - c. Tap the **Cellular** icon showing your service provider.
 - d. Tap the **Connect** button to make a connection.

NOTE If you purchased your XSLATE R12 with the optional mobile broadband with GPS module or the optional discrete GPS module, then the XSLATE R12 has GPS capabilities. You can use GPS with your preferred mapping application to find your current and destination locations. Please refer to the User's Guide for additional information.

Entering text with the input panel or on-screen keyboard

You can choose from two different methods to enter text with the XSLATE R12. You can use an on-screen touch keyboard or the handwriting panel.


To open the on-screen keyboard, you can either:

- Tap the **Keyboard** icon  in the Windows notification area.

OR

- Tap in a text field, such as the URL field in a web browser.


The default on-screen keyboard appears at the bottom of the screen. You can move it to a different location.



To open the handwriting panel:

1. In the on-screen keyboard, press and hold the **Keyboard** icon in the lower right corner of the keyboard.
2. In the panel of icons that pops up, tap the **Handwriting Panel** icon .

The handwriting panel appears at the bottom of the screen.




Handwriting Panel

Use the digitizer pen to begin writing in the handwriting panel. The software converts your handwriting to text.

TIP The more you write, the more accurately Windows® 10 detects your handwriting style.

In addition to the default on-screen keyboard, Windows®10 provides other keyboard layouts for entering text. You can use an expanded keyboard, which provides additional keys, or a keyboard that includes a numbers keypad.



Expanded keyboard

To close the on-screen keyboard or handwriting panel, tap the **Close** icon  in the upper right corner. To minimize the on-screen keyboard or handwriting panel, tap the minimize icon  in the upper right corner.

Tips

Make the most of your XSLATE R12 by following these tips.

Pen and Touch tips

- You can change from right- to left-hand use. From the Tablet Center, tap **Tablet PC Settings**, tap the **Other** tab, and tap **Left-handed**.
- You can open items with one tap (instead of two) and select an item by pointing to it. From the Control Panel, tap **Folder Options**. Tap **Single-click to open an item (point to select)**.

Battery tips

- Use AC power when available. When the XSLATE R12 is plugged in, the battery charges while in use.
- Put your Tablet PC in sleep mode when you're not using it.
- Stop unnecessary background applications and processes.
- When not in use, disable wireless adapters using the Tablet Center **Power** category.
- Set the brightness of the display to automatically dim after a specific number of minutes of inactivity by selecting the Tablet Center **Power** category. Tap **Power**, tap **Advanced**, and tap **Choose when to turn off the display**.
- When using mobile broadband, reduce how often the XSLATE R12 updates email and other Internet applications to once every half hour or longer.
- Disable mobile broadband where you know a signal is unavailable.
- Condition your battery once a month. To condition it, run the Tablet PC on battery power until the battery's charge level drops below 20%.
- For long-term storage, ensure that the charge level is between 20–40% before removing it from the Tablet PC.

General tips


- Use only the XSLATE R12 digitizer pen or your finger on the display. The Tablet PC doesn't respond to any other type of pen or stylus.
- When attaching the pen tether, slip one end of the tether through the hole at the end of the pen and pull the pen through the loop until it is tight. Then slip the other end of the tether through the attach point and pull the pen through the loop until it is tight.
- Store the pen in the pen holder when not in use. To store the pen, insert it into the pen holder and press until you hear a click. To remove the pen, press it until it pops out. If the tether is attached, press the pen before pulling it out to ensure that you don't pull it out by the tether.
- Clean fingerprints and smudges from the display surface by wiping it with the display cloth provided. If needed, use a cleaning solution recommended by Zebra to clean the display. Spray the solution on the cloth and wipe the display. See the recommended list of tested solutions on our website.
- The serial number of the XSLATE R12 is in the battery bay.

Learn more

To get more detailed information about your Tablet PC, go to www.zebra.com. You can download the XSLATE R12 User Guide for Windows 10 at [www.zebra.com\xr12-info](http://www.zebra.com/xr12-info).

ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corporation, registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2019 Zebra Technologies Corporation and/or its affiliates. All rights reserved.

MN-003657-01EN



Features	Fonctions	Funktionen	Características	Recursos	功能
1 Function buttons	1 Boutons de fonction	1 Funktionstaste	1 Botones de función	1 Botões de função	1 功能按钮
2 Ambient light sensor	2 Capteur de lumière ambiante	2 Umgebungslichtsensor	2 Sensor de luz ambiental	2 Sensor de luz ambiente	2 环境光传感器
3 Microphones	3 Microphones	3 Mikrofon	3 Micrófonos	3 Microfones	3 麦克风
4 Web camera	3 Microphones	4 Webkamera	4 Cámara Web	4 Web camera	4 Web 摄像头
5 Web camera activity light	4 Webcam	5 Aktivitätsanzeige der Webkamera	5 Luz de actividad cámara de web	5 Luz de atividade da câmera de web	5 Web 相机活动灯
6 Touchscreen display	5 lumière d'activité de la webcam caméra	6 Touchscreen-Anzeige	6 Pantalla táctil	6 Tela sensível ao toque	6 触摸屏
7 Windows Home button	6 Écran tactile	7 Windows-Starttaste	7 Botón Inicio de Windows	7 Botão Página Inicial do Windows	7 Windows Home 按钮
8 Microphone	7 Bouton d'accueil Windows	8 Mikrofon	8 Micrófono	8 Microfone	8 麦克风
9 Documentation camera light	8 Microphone	9 Dokumentation-skameralente	9 Luz de cámara de documentación	9 Luz da câmera de documentação	9 文档摄像头照明灯
10 Documentation camera	9 Flash de l'appareil photo de documentation	10 Dokumentationskamera	10 Cámara de documentación	10 Câmera de documentação	10 文档摄像头
11 Volume buttons	10 Appareil photo de documentation	11 Lautstärketasten	11 Botones de volumen	11 Botões de volume	11 音量按钮
12 Battery	11 Boutons de volume	12 Batterie	12 Bateria	12 Bateria	12 电池
13 Battery latch	12 Batterie	13 Akkuschacht	13 Pestillo de batería	13 Trava da bateria	13 电池门锁
14 Battery charge indicator lights	13 Verrou de la batterie	14 Akkuladungsstatus-LEDs	14 Luces del indicador de carga de la batería	14 Luzes indicadoras de carga da bateria	14 电池充电指示灯
15 Press to view charge indicator lights	14 Voyants de charge de la batterie	15 Drücken, um Akkuladungsstatus-LEDs anzuzeigen	15 Pulse para ver las luces del indicador de carga	15 Pressione para visualizar as luzes indicadoras de carga	15 按下可查看电量指示灯
16 Speakers	15 Appuyez pour afficher les voyants de charge de la batterie	16 Lautsprecher	16 Altavoces	16 Alto-falantes	16 扬声器
17 SSD Cover	16 Haut-parleurs	17 SSD-Abdeckung	17 Cubierta de SSD	17 Tampa de SSD	17 SSD 盖
18 Antenna pass-through	17 Couvercle SSD	18 Antennendurchgang	18 Paso a través de la antena	18 Pass-through da antena	18 天线通孔
19 Power button	18 Passage de l'antenne	19 Netzschalter	19 Botón de encendido	19 Botão de energia	19 电源按钮
20 Security button-Lock and Unlock (CTRL+ALT+Del)	19 Bouton de l'alimentation	20 Taste "Windows-Sicherheit"—Sperrern und Entsperren (STRG+ALT+ENTF)	20 Botón de seguridad de Windows: Bloqueo y desbloqueo (Ctrl+Alt+Supr)	20 Botão de segurança do Windows—Bloqueando e Desbloqueando (Ctrl+Alt+Delete)	20 安全按钮 - 锁定和解锁 (CTRL+ALT+Del)
21 Battery charging indicator	20 Bouton de sécurité Windows—Verrouillage et Déverrouillage (Ctrl+Alt+Suppr)	21 Anzeige beim Laden des Akkus	21 Indicador de carga de la batería	21 Indicador de carregamento da bateria	21 电池充电指示灯
22 Power adapter port	21 Indicateur de chargement de la batterie	22 Netzadapteranschluss	22 Puerto del adaptador de alimentación	22 Porta do adaptador de energia	22 电源适配器端口
23 Audio out port	22 Port adaptateur secteur	23 Audio-Ausgang	23 Puerto de salida de audio	23 Porta de saída de áudio	23 音频输出口
24 USB port	23 Port sortie audio	24 USB-Anschluss	24 Puerto USB	24 Porta USB	24 USB 端口
25 HDMI port	24 USB port	25 HDMI-Anschluss	25 Puerto HDMI	25 Porta HDMI	25 HDMI 端口
26 Expansion input port	25 HDMI port	26 Erweiterungseingang	26 Puerto de entrada de expansión	26 Porta de entrada de expansão	26 扩展输入端口
27 Fingerprint reader	26 Expansion input port	27 Fingerabdruckleser	27 Lector de huellas	27 Leitor de impressão digital	27 指纹读取器
28 Pen tether anchor	27 Fingerprint reader	28 Anker für Stift-Haltevorrichtung	28 Punto de unión del cordón del lápiz	28 Fixação da correia da caneta	28 笔挂绳锚点
29 Pen bay	28 Pen tether anchor	29 Stiftschacht	29 Espacio para el lápiz	29 Baia da caneta	29 笔槽