Release Notes for v1.0.209

Released 08 MAR 2024

Contents

1
1
1
1
1
2
2
2
2

Introduction

This release notes are for the Zebra RFID MAUI Demo Application v1.0.209

Description

The Zebra RFID MAUI Demo application demonstrates the use case of using the MAUI applications to work with RFID readers.

v1.0.209 updates

• Integrate latest SDK version release

Initial release

- Inventory Do inventory using Trigger
- Locate Search particular tag using Locate API
- Reader List access available readers
- Firmware update
- Scan barcode data

Device Compatibility

- MC33xR
- RFD40
- RFD40 Premium and RFD40 Premium plus
- RFD8500
- RFD90

Release Notes

MauiRfidSample

Components

The zip file contains the following components:

- Zebra RFID MAUI Demo APK file
- Zebra RFID MAUI Demo Visual Studio project source code

Installation

Supported operating systems:

Visual Studio 2019

Developer system requirements:

- Developer Computers: Windows 10 64-bit
- MAUI

Notes

- 1. Exit the RFID Demo application or other user application which can be using reader
- 2. Reader region is already set as per regulatory requirements

Application usage and Screens brief

1. From home screen using application icon launch the application, home screen is shown on next page



Zebra (IFID Maui Sample a
Reader List
Item inventory
Barcode Scanner
Firmware Update
Trigger Key Mapping

2. Tap on Item Inventory to open inventory screen. It shows reader connection status and press gun trigger to start the inventory. When reader reads the tags tag list get populated with tags EPC ID, RSSI and count values Tag Any tag ID to select it. Selected tag ID will be shown on commissioning and search screen.

÷				
Unique Tags	Total	Read		Read Time
18	4	5	00	:00:01
D				COUNT
BEEF2222	3333BBBB00	000547	-57	5
12441234	100004001B04	3B045	-61	2
BEEF2222	3333BBBB00	000540	-68	2
BEEF2222	3333BBBBB0	43B050	-52	3
BEEF2222	3333BBBBB00	000152	-66	1
00000000	000000000000000000000000000000000000000	00546	-76	2
BEEF2222	3333BBBB00	000539	-39	3
BEEF2222	33338888800	000550	-67	3
BEEF2222	3333BBBB00	02ED5D	-60	2
BEEF2222	3333BBBBB00	000349	-56	3
E2806894	00004001B04	3B052	-62	2
BEEF2222	3333BBBB00	000544	-72	3
00006D1:	222000002241	D7E6F6	-59	2
BEEF2222	3333BBBB00	000554	-51	3
BEEF2222	3333BBBB00	000549	-74	2
BEEF2222	0000888800	000152	-49	3
BEEF2222	3333BBBB8444	145525	-60	2
	4			

3. Tap on Reader List on Home screen to see available and connected reader



5. Select Firmware Update for firmware update

Copy file to /sdcard/Download/ZebraFirmware to list the firmware file



Note: Make sure app has been provided with Allow management of all files permission



6. Select Barcode scanner to scan barcode data



7. New Key Remapping support

