


HF - HID SDK for OMNII family - V4.1.5.7 - P2

The [HF] HID SDK for OMNII provides support for creating custom applications for the HID reader in .NET Compact Framework and C++. Please note that Java development is not supported.


Software configurations

RFID Reader Suppliers	Psion Handheld Computers	Operating System	Supported languages	Unsupported languages
HID (HF)				
RFID Module HF-AM1-OMNII	OMNII XT 10	WinCE 6.0	C++ .NET	Java WinDev
	OMNII XT 15	Windows Mobile 6.5		
	OMNII RT 15			

Hardware configurations

RFID Product	Frequency / Power	Slot	RFID Module	End Cap / Antenna	BAAN Item	Approvals	Tag Protocol / Tag Type
RFID Module HF-AM1-OMNII 	13.56 MHz / -	Expansion Slot 2 or 3	HID Module Multi ISO With 2 SAM	POD / Bottom antenna	ST9210	CE FCC IC	Refer to RFID Product Guide

SDK Overview



Version 4.1.5.7 Package 2

- Support OMNII RT/XT 15
- Use RFIDDriver version 1.4
 - Support Windows Mobile 6.5
 - Check interoperability with WWAN devices (MC75i & PH8-P)

Version 4.1.5.7 Package 1

- Initial version on OMNII
- Use HID SDK version 4.1.5.7 of CFReader.dll

- Fix: Open a com port superior to 9

- Use RFIDDriver version 1.2
- Use RFIDDriver libraries (C++ & Dotnet) version 1.3

- Add properties for getting Name, Frequency, Supplier & Module
- Update CHM documentation