# Release Notes - Zebra TC75 Android L NGMS FIPS - LifeGuard Update 03 Release

#### Contents

**Description** 

**Device Compatibility** 

**Component Contents** 

Installation Requirements

**Installation Instructions** 

Downloadable Software included in this Release

### **Description**

This release contains the following software package which is compatible with the TC75 NGMS FIPS product.

#### 1. CFE v3 Updates:

- CFE-TC75-L-F0-021002-N-00-03.zip (NGMS FIPS)
- ❖ Android Security Patch Level: September 05, 2017

Use the below link to see the Android Security bulletin for more information:

https://source.android.com/security/bulletin/

- Updated below mentioned components:
  - MXMF Version 7.0.2.1
  - DataWedge Version 6.5.61
  - EMDK Version 6.6.14.914
  - Staging Client Version 2.8.1.1221
- Resolved an issue in MX to prevent leakage of configuration parameters.
- Included fix for BlueBorne vulnerability.
- Included fix for blank screen seen during boot.
- SPR32373 Resolved an issue wherein the barcode data is not transmitted when "All Decoders" is unchecked and every single decoder is checked.
- SPR32582 Added support for Netherlands Belgium language.
- SPR32008\_SPR31820 Resolved an issue wherein scanning PDF417 barcodes which contain embedded 0x0D characters resulted in continuous line of data instead of displaying in different lines.
- SPR32132 Resolved an issue wherein wifi is getting disabled intermittently when the battery hot swaps are done frequently.
- SPR32676 Resolved an issue wherein DataWedge App crashes when Velocity App tries to send an Intent to enable the scanner plugin.
- SPR32775 Resolved an issue wherein the notification class created with FLAG\_INSISTENT was not getting cleared upon pulling down the notification drawer.

#### 2. CFE v2 Updates:

- CFE-TC75-L-F0-021002-N-00-02.zip (NGMS FIPS)
- ❖ Android Security Patch Level: August 05, 2017

Use the below link to see the Android Security bulletin for more information:

https://source.android.com/security/bulletin/

- SPR29912 Resolved an issue wherein certificates installation failed through stagenow.
- SPR30401 Added support to get the CFE version via MDM clients.
- SPR31954 Resolved an issue wherein dhcpd was not able to start due to lengthy host name.
- SPR32135 Resolved an issue wherein Settings screen does not revert to its normal state even though the locale language is changed from Arabic to English via EMDK.
- SPR32240 Resolved an issue wherein the scanner service was not responding while switching between applications.
- SPR32193\_SPR32230 Resolved an issue wherein devices experiencing authentication failures, and were not able to recover.
- SPR32539 Resolved an issue wherein build certificates were lost randomly even though certificates were not expired.
- SPR32326 Resolved an issue wherein Settings application crashed while trying to set enterprise keyboard as the default keyboard and disable AOSP keyboard through the stageNow profile.
- SPR32413 Resolved an issue wherein after selecting the static option in the ethernet settings, changes are not reflecting in interface and the interface was always dhcp.

## **Device Compatibility**

This software release has been approved for Android TC75 NGMS L models mentioned below.

Device	Operating System
TC75AH-KA11ES-A2	Android 5.1.1
TC75AH-KA11ES-A1	Android 5.1.1
TC75BH-KA11ES	Android 5.1.1
TC75BH-KA11ES-BR	Android 5.1.1
TC75BH-KA11ES-IA	Android 5.1.1
TC75BH-KA11ES-ID	Android 5.1.1
TC75BH-KA11ES-TW	Android 5.1.1
TC75BH-KA11MS-CN	Android 5.1.1

#### **Component Contents**

Component / Description	Version
Product Base Build Number	02-10-02-L-00-A
Zebra Patch Version	3
Android Version	5.1.1

## Installation Requirements

The Software update requires SKU hardware device.

 Enterprise Reset and Factory Reset package files are available on the TC75 Software Download section on Zebra.com

#### Installation Instructions

BEFORE UPDATING THE OS IMAGE, EXTERNAL POWER MUST BE APPLIED TO THE TERMINAL VIA USB CHARGING CABLE OR CRADLE.

PLEASE ENSURE BATTERY LEVEL IS > 30%

#### CFE software update procedure for TC75 NGMS FIPS:

- 1. Connect the USB cable from your PC to the device and enable USB mass storage mode on the device.
- 2. On your PC you should see an internal and external USB mass storage drive (SD card) appears in the File Explore and copy "CFE-TC75-L-F0-021002-N-00-03.zip" file to any storage.
- 3. Press and hold on the device Power button, click on power off and wait until the screen is turned OFF.
- 4. Press and hold power, Vol+ button and PTT button.
- 5. Keep holding all three buttons until the device vibrates.
- 6. Device should enter recovery mode.
- 7. if applying update via Sideload Method
  - a. Use the Volume + and to highlight, "Apply update from ADB" and press the PTT Key to select it
  - b. With your Command Prompt open in the Host machine, type "adb sideload" command and add a space and then drag and drop the CFE on to it and click enter.
  - c. Your PC screen will show files being installed and a little blue horizontal progress bar on your device will show status... and after about 6~ minutes it should be done and you should be back at the Android Recovery screen.
  - d. "Reboot system now" is highlighted. Press the PTT Key to Reboot.
- 8. If applying update via SD card.
  - a. Click on Vol+ or Vol- to navigate and select SD card or internal storage. Press PTT button to select it.
  - b. Click on Vol+ or Vol- to navigate to the recovery update zip file.
  - c. Click on PTT button to select and start the recovery update process.
  - d. Device will automatically reboot and will be ready to use.
- 9. To Check the Android Patch Level after installing the CFE package in the device,
  - a. Settings->About Device->SW Components: Device Patch Version: 3
  - ADB Shell method: Execute following command from PC's command prompt:
    \$ adb shell getprop ro.device.patch.version
    \$ 3

## Downloadable Software Included in this Release

Filename	Description
CFE-TC75-L-F0-021002-N-00-03.zip	OTA incremental CFE v3 update software for NGMS FIPS build

Last Revised: <10-10-2017>