

Release Notes – Zebra Android Oreo 01-23-18.00-OG-U06-STD Release (GMS)

Description

The details of the Android GMS Oreo release 01-23-18.00- OG-U06-STD that covers family of products including TC52, TC57, TC72, TC77, TC52HC, PS20x, TC8300, MC9300, L10A, ET51, ET56, EC30 and CC600, CC6000. Please see, Device Compatibility under Addendum Section for more details.

Software Packages

Package Name	Description
HE_INCREMENTAL_UPDATE_01-23-18.00-OG-U06-STD.zip	CFE package update

Security Updates

This build is Compliant up to Android Security Bulletin of September 01 2019.

LifeGuard Update 06:

➤ This LG patch is applicable for 01-23-18.00-OG-U00-STD BSP version. The LG Patch includes the following updated components.

■ Device Central: 2.1.0.15

DataWedge: 7.5.56EMDK: 7.5.25.2525

MXMF version: 9.2.6.1

OSX version: QCT.81.8.19.1

Simulscan Version: 4.0.5 SimulScanEngine: 3.3.0

StageNow: 4.0.0.7

Zebra Data Service: 3.6.0.1034

OemInfo: 9.0.0.39

Scanning Framework: 23.1.2.0

New Features

- Added Keyless Navigation (w/ VoiceWedge)
- Added support for Individual wake up sources.
- Added support for Simulscan on SE4770 and removing of yellow screen
- Added support for Firefly (RS5100).
- Added support for OCR A/B in Scanning Framework.

Fixes

- Fixed: SPR37773 Resolved an issue wherein devices are unable to login to captive portal with Android Webview.
- Fixed: SPR37465 Resolved an issue wherein customer app gets freeze when the app posts numerous Toast at once.



- Fixed: SPR38119 Resolved an issue wherein writing through serial data was taking more time.
- Fixed: SPR38330 Resolved an issue wherein user was unable to disable Application Notifications via StageNow.
- Fixed: SPR38316 Resolved an issue wherein device WAN mode changes due to thermal mitigations.
- Fixed: SPR38416

 Resolved an issue wherein device with inactive sim card will automatically enter Airplane mode.
- Fixed: SPR38166: Resolved an issue wherein device is unable to set static IP via StageNow/EMDK.
- Fixed: SPR38426– Resolved an issue wherein StageNow is unable to set manual Proxy without any bypass.

Version Information

Below Table contains important information on versions

Description	Version
Product Build Number	01-23-18.00-OG-U06-STD
Android Version	8.1.0
Security Patch level	September 1, 2019
Linux Kernel	4.4.78
Component Versions	Please see Component Version under Addendum section

Installation

Requirements and Instructions

https://www.zebra.com/content/dam/zebra_new_ia/en-us/software/operating-system/helios/oreo-os-update-instructions.pdf

Upgrade options

Below table provides detailed information on shortest path to upgrade based on current version of software.

Current Software Version on Device	Steps to get to this Release	Comments
01-12-01.00-OG-Uxx	 Apply Full Package Update HE_FULL_UPDATE_01-23-18.00- OG-U00-STD.zip Apply Incremental Update HE_INCREMENTAL_UPDATE_01- 23-18.00-OG-U06-STD.zip 	
01-13-20.00-OG-Uxx	1. Apply Full Package Update HE_FULL_UPDATE_01-23-18.00- OG-U00-STD.zip 2. Apply Incremental Update HE_INCREMENTAL_UPDATE_01- 23-18.00-OG-U06-STD.zip	



01-18-02.00-OG-Uxx	1. Apply Full Package Update HE_FULL_UPDATE_01-23-18.00- OG-U00-STD.zip 2. Apply Incremental Update HE_INCREMENTAL_UPDATE_01- 23-18.00-OG-U06-STD.zip	
01-21-18.00-OG-Uxx	Option 1: 1. Apply Delta Package Update HE_DELTA_UPDATE_01-21-18.00- OG_TO_01-23-18.U00-OG.zip 2. Apply Incremental Update HE_INCREMENTAL_UPDATE_01- 23-18.00-OG-U06-STD.zip	Option #1 is recommended as size of Delta package update is smaller compared to Full Package Update
	Option 2: 1. Full Package Update Apply HE_FULL_UPDATE_01-23-18.00- OG-U00-STD.zip 2. Apply Incremental Update HE_INCREMENTAL_UPDATE_01- 23-18.00-OG-U06-STD.zip	
01-23-18.00-OG-Uxx	Apply Incremental Update HE_INCREMENTAL_UPDATE_01-23-18.00- OG-U06-STD.zip	



Known Constraints

Below are Known Constraints and workaround if applicable.

- WiFi sleep policy set to "Always" (Android O limitation)
- GMS Restricted Mode is introduced in this release. Customers using Enable/Disable GMS apps may want to consult the settings types for App Manager, Power Manager and GMS Manager in Zebra's Tech Docs. Functionality originally in Enable/Disable GMS apps (App Manager) has been moved to GMS Restricted Mode (GMS Manager).
- "Get Status for all Wake-Up sources" is returning "Enabled" when all Wake-up sources are disabled
- "Feature not supported" staging error message comes after staging enable wake up source function via StageNow, even though operation is successful.
- Some devices operate at 320 dpi. This screen configuration results in the majority of the AOSP applications displaying content consistently in both portrait and landscape modes. In most cases if the application layout is not optimal in landscape it is optimal in portrait or vice versa. However, there are a few applications that do not render properly in either portrait or landscape. In this case the suggested alternative is to change the display size using the bundled Display Settings APK or use settings menu to change the display size and font size (settings → Display → Advanced settings → Display Size / Font Size).
- When installing the Reset packages, always select 'Full OTA' package option when using recovery mode. Do Not select 'Diff OTA' package for Reset packages since it would erase the LG Patch update & take the device to base BSP image.

ZEBRA CONFIDENTIAL: INTERNAL USE ONLY



Addendum

Device Compatibility

This software release has been approved for use on the following devices.

Device Family	Part Number	Device Specific Manuals and Guides
TC52	TC520K-1PEZU4P-NA	
. 002	TC520K-1PEZU4P-A6	Visit Manuals Section under TC52
	TC520K-1PEZU4P-FT	Home Page
	TC520K-1PEZU4P-IA	<u>riomo i ago</u>
	TC520K-1HEZU4P-IA	
	TC520K-1HEZU4P-NA	
	TC520K-1HEZU4P-A6	
	TC520K-1HEZU4P-FT	
TC72	TC720L-0ME24B0-A6	
1072	TC720L-0ME24B0-NA	Visit Manuals Section under TC72
	TC720L-0ME24B0-BR	<u>Home Page</u>
	TC720L-0ME24B0-IA	
	TC720L-0ME24B0-TN	
	TC720L-0ME24B0-FT	
PS20	PS20J-P4G1A600	
	PS20J-P4G1NA00	Visit Manuals Section under PS20
	PS20J-B2G1A600	Home Page
	PS20J-B2G1NA00	
TC77	TC77HL-5ME24BG-A6	
	TC77HL-5ME24BG-NA	Visit Manuals Section under TC77
	TC77HL-5ME24BG-FT (FIPS SKU)	Home Page
	TC77HL-5ME24BD-IA	
	TC77HL-5ME24BD-BR	
	TC77HL-5ME24BD-ID	
	TC77HL-5ME24BG-EA	
	TC77HL-5MG24BG-EA	
	TC77HL-6ME34BG-A6	
TC57	TC57HO-1PEZU4P-A6	
1001	TC57HO-1PEZU4P-NA	Visit Manuals Section under TC57
	TC57HO-1PEZU4P-EA	Home Page
	TC57HO-1PEZU4P-FT (FIPS SKU)	<u>Home r ago</u>
	TC57HO-1PEZU4P-IA	
	TC57HO-1PEZU4P-BR	
	TC57HO-1PEZU4P-ID	
CC600	CC600-5-3200LNNA	
CC600	CC600-5-3200LNNW	Visit Manuals Section under
000000	CC600-5-3200LNIN	CC600 Home Page
CC6000	CC6000-10-3200LCWW	Viola Manuscla Ocalica con I
	CC6000-10-3200PCWW	Visit Manuals Section under
	CC6000-10-3200LCNA	CC6000 Home Page
	CC6000-10-3200PCNA	
	CC6000-10-3200LNNA	
VC8300		Visit Manuals Section under
		VC8300 Home Page



		1.0.1.1
TC8300	TC83B0-x005A510NA	Visit Manuals Section under TC8300
	TC83B0-x005A61CNA	<u>Home Page</u>
	TC83BH-x205A710NA	
	TC83B0-x005A510RW	
	TC83B0-x005A61CRW	
	TC83BH-x205A710RW	
	1 GOODI 1 X200/ (7 TOTAV	
	TC83B0-x005A510CN	
	TC83B0-x005A510CN	
	TC83BH-x205A710CN	
	TC83B0-x005A510IN	
	TC83B0-x005A61CIN	
	TC83BH-x205A710IN	
	TC83BH-x206A710NA	
	TC83BH-x206A710RW	
	TC83B0-4005A610NA	
	TC83B0-4005A610RW	
	TC83B0-4005A610CN	
	TC83B0-4005A610IN	
	TC83B0-5005A610NA	
	TC83B0-5005A610RW	
	TC83B0-5005A610CN	
	TC83B0-5005A610IN	
	TC83B0-x005A510TA	
	TC83BH-x205A710TA	
	Note: 'x' Stands for wild card for different	
	configurations.	
L10AW	RTL10B1-xxAxxX0x00A6 (ROW)	
	RTL10B1-xxAxxX0x00IN (India)	
	Note: 'x' Stands for wild card for different	
	configurations.	
1400000		
MC9300	MC930B-GSXXG4XX	West Manage to Open the consider MO00000
	MC930P-GSXXG4XX	Visit Manuals Section under MC9300
	MC930P-GFXXG4XX	Home Page
	MC930B-GSXXG4NA-XX	
	MC930P-GSXXG4NA-XX	
	Note: 'x' Stands for wild card for different	
	configurations.	
	ET51CE-G21E-00A6	
	ET51CE-G21E-00NA	Visit Manuals Section under ET51
ET51		Home Page
	ET51CT-G21E-00A6	<u></u>
	ET51CT-G21E-00NA	
	LIGIOI GZIL GOIVA	
ET56	ET56DE-G21E-00A6	Visit Manuals Section under ETES
L130	ET56DE-G21E-00NA	Visit Manuals Section under ET56
F000	FORON OCATAON	Home Page
EC30	EC300K-2SA1ACN	Visit Manuals Section under <u>EC30</u>
		Home Page



Component Version

Component / Description	Version
ActiveEdge	2.5.16
AnalyticsMgr	2.4.0.1251
Audio (Microphone and Speaker)	0.43.0.0
Battery Management	Version: 1.4.2
Battery Swap [Enhanced]	Version: 2.2.0
Bluetooth Pairing Utility	Version 3.16
DataWedge	7.5.56
Device Central	2.1.0.15
Diagnostic Tool	1.18.0.3
EMDK	7.5.25.2525
Enterprise Keyboard	2.2.2.3
Fota	1.0.0.3
License Manager and License Agent	version 3.2.0 and version 3.2.0.3.2.0
MSRN	2.01
MX	MXMF version:9.2.6.1
NFC	NFC_NCIHALx_ARC0.8.4.0
OSX	QCT.81.8.19.1
PTT Express	3.1.42
Rxlogger and RxLoggerUtility	Version 5.4.16.0 and Version: 1.3.3.11
Scanning Framework	23.1.2.0
Simulscan	Version: 4.0.5 SimulScanEngine: 3.3.0
SMARTMU (WorryFree Wifi Analyzer WFW version)	WFW_QA_2_3.9.0.005_O
StageNow	4.0.0.7
WLAN	FUSION_QA_2_1.9.0.005_O
Zebra BlueTooth	1.3
Zebra Data Service	3.6.0.1034
Zebra Volume Control (ZVC)	2.2.0.12
Zebra Folders	9.1

Last Revised: <11-15-2019>