

MC2100 OPERATING SYSTEM PROFESSIONAL BSP 03.34.23 - HOTFIX CFE 01.01.00 RELEASE NOTES

1 INTRODUCTION

HotFix CFE (Cumulative Fixes from Engineering) Package includes multiple SPR Hot fixes contained into a single package. The HotFix CFE Package helps the end users to keep up to date with all the SPR hot fixes for given product software release / revision.

HotFix CFE packages are validated only by engineering validation team and the package follows Zebra Technologies' Hot Fix Package Policy

2 DESCRIPTION

The content and related Hot fixes that are included in this HotFix CFE_MC21_CE_033423_EN_v010100_e.cab is as follows.

SPR No	Synopsis
26357	MC2180: Laser beam width is unstable

3 PACKAGE DETAILS

CFE_MC21_CE_033423_EN_v010100_e.cab (CFE package without Warm boot)

4 DEVICE COMPATIBILITY

This HotFix CFE Package software release has been approved for use with the following Symbol devices.

Device	Operating System	BSP Version
MC21XX	Windows CE6.0	03.34.23

5 INSTALLATION REQUIREMENTS

The HotFix CFE cab can be deployed to the Mobile device through any one of the below mentioned methods. For installing the cab, the users should have at least one of the below mentioned tools.

- Windows Mobile Device Centre (For Windows Desktops)
- SD Cards / Micro SD cards

6 INSTALLATION INSTRUCTIONS

· Windows Mobile Device Centre (For Windows Desktops) Installation Instructions:

- 1. Copy “CFE_MC21_CE_033423_EN_v010100_e.cab” file to the Application folder on the device.**
- 2. Deploy the solution by tapping on the “CFE_MC21_CE_033423_EN_v010100_e.cab file.**
- 3. Change will take effect after manual reboot of the terminal is done.**

· SD Cards / Micro SD cards Installation Instructions:

- 1. Copy “CFE_MC21_CE_033423_EN_v010100_e.cab” file to the SD card.**
- 2. Deploy the solution by tapping on the “CFE_MC21_CE_033423_EN_v010100_e.cab**
- 3. Change will take effect after manual reboot of the terminal is done.**

7 RELEASE DATE

November 2014