Release Notes - Zebra MC40 Android L – LifeGuard Update 09 Release for Voice/Non-Voice

Contents

Description

Component Contents

Device Compatibility

Installation Requirements

Installation Instructions

Downloadable Software included in this Release

Description

This release contains following software package which is compatible with the MC40 L product. LifeGuard patches are cumulative and include all previous fixes that are part of earlier patch releases. Downgrade to LifeGuard Update 01 is not allowed.

Component Contents

Component / Description	Version
Build version	03-07-03-L-V0-M1
Device Patch Version	9
Android version	5.1.1
Android_SDK_Level	22
Android Security Patch Level	2018-03-05 (Critical Patch Level: 2019-06-01)
OSX	TI.51.5.2.13
Linux_kernel	3.4.48
Wifi	FUSION_A_5.00.0.0.026 (Radio Equipment Directive Compliant)
X_loader	1.41.0(2017-Aug-18)
U_boot	1.1.4(2017-Aug-18)
Platform	TI - omap4430- 4AJ22

Scanning_Framework	19.53.37.0
DWDemo	2.0.13
MXMF	7.2.10.2
Touch	0.14(RevB), 19(RevC TPK), 38(RevB+)
SSpam	0.6 (NA for RevC HW, only for TRS/B HW)
Bluetooth_Stack	01.017.00
Partition_table	NA
Flash_Size	8G
RAM_Size	1G
GPS	NA
MMS	NA
RIL_Version	NA
BT_Pairing_Utility	3.7
MSP_Agent_RD	7.08.86
Datawedge	6.7.48
Camera	2.0.002 (180925-30)
PTT	3.1.32
RxLogger Utility	4.61.0.0
StageNow	2.10.1.1389
B2M_Elemez	1.0.0.352
Data_Analytics	1.0.2.2091
App_Gallery	3.0.1.7
SOTI	12.2.0 Build 23469
EMDK	6.8.21.1121
WorryFreeWiFi (SMART MU)	2.3.3 App-2.3.7
Zebra Volume Control (ZVC)	1.1.23
BatteryManager	1.3.7
Device Diagnostic tool	1.15.0.11
Enterprise Keyboard (EKB)	1.7.0.2
Zebra Software License Manager	3.1.1
Zebra Data Services	1.0.0.1002

1. CFEv9 Updates:

CFE-MC40N0-L-V0-030703-N-00-09.zip (Voice/Non-Voice)

This CFE is applicable for 03-07-03-L-V0-M1 OS version.

1. Android Security Patch Level: 2018-03-05 (Critical Patch Level: 2019-06-01).

Use the below link to see the Android Security bulletin for more information:

https://source.android.com/security/bulletin/

2. CFEv8 Updates:

CFE-MC40N0-L-V0-030703-N-00-08.zip (Voice/Non-Voice)

This CFE is applicable for 03-07-03-L-V0-M1 OS version.

1. Android Security Patch Level: 2018-03-05 (Critical Patch Level: 2019-03-01).

Use the below link to see the Android Security bulletin for more information:

https://source.android.com/security/bulletin/

The CFE Package 'CFE-MC40N0-L-V0-030703-N-00-08.zip' includes the following fixes

- SPR35368- Resolved an issue where in device is unable to scan barcode suspend and resume.
- SPR35362: Resolved and issue where in TC80 NGMS Scanner was not able to decode when HW picklist is enabled.
- SPR35288 Fixed an issue wherein initialization of scanner was taking ~1sec.
- SPR35054 Added support for reduced guite zone barcode decoding.
- SPR34844 Resolved an issue wherein multiple open calls are prevented when multiple application tries to open scanner without releasing previous instance.
- SPR35425 Resolved an issue where time zone was being displayed twice
- Updated below mentioned Components:
 - MXMF Version 7.2.10.2 (For more detail please refer http://techdocs.zebra.com)
 - O Scanner Framework 19.53.37.0
 - o EKB: 1.7.0.5
 - o Bluetooth: 1.017.00

3. CFE v7 Updates:

CFE-MC40N0-L-V0-030703-N-00-07.zip (Voice/Non-Voice)

This CFE is applicable for 03-07-03-L-V0-M1 OS version.

1. Android Security Patch Level: 2018-03-05 (Critical Patch Level: 2018-12-01).

Use the below link to see the Android Security bulletin for more information:

https://source.android.com/security/bulletin/

4. CFE v6 Updates:

CFE-MC40N0-L-V0-030703-N-00-06.zip (Voice/Non-Voice)

This CFE is applicable for 03-07-03-L-V0-M1 OS version.

1. Android Security Patch Level: 2018-03-05 (Critical Patch Level: 2018-09-01).

Use the below link to see the Android Security bulletin for more information:

https://source.android.com/security/bulletin/

The CFE Package 'CFE-MC40N0-L-V0-030703-N-00-06.zip' includes the following fixes

- SPR35025 Resolved an issue where Proxy Auto Config (PAC) did not work properly following stops/restarts of the PacService.
- SPR33977 Resolved an issue wherein set time zone issue observed with StageNow.
- SPR34679 Resolved an issue wherein setting WiFi Band selection to Auto was not working properly with StageNow.
- Included Zebra Software License Manager v3.1.1.
- SettingsEULA has been renamed to Zebra Data Services.
- Updated below mentioned Components:
 - o MXMF Version 7.2.9.0 (For more detail please refer http://techdocs.zebra.com)
 - Scanner Framework 18.10.15.0

5. CFE v5 Updates:

❖ CFE-MC40N0-L-V0-030703-N-00-05.zip (Voice/Non-Voice)

This CFE is applicable for 03-07-03-L-V0-M1 OS version.

1. Android Security Patch Level: 2018-03-05 (Critical Patch Level: 2018-06-01).

Use the below link to see the Android Security bulletin for more information: https://source.android.com/security/bulletin/

The CFE Package 'CFE-MC40N0-L-V0-030703-N-00-05.zip' includes the following fixes:

- SPR33599 Resolved an issue wherein few system apps were being disabled after Applock whitelist mode was enabled.
- SPR33329 Added support to enable/disable DND mode via Intent.
 - To Enable DND mode send intent "com.symbol.intent.action.VOLCTRL_MODE" with Extra state as "1" followed by a reboot.
 - To Disable DND mode send intent "com.symbol.intent.action.VOLCTRL_MODE" with Extra state as "0" followed by a reboot.
- SPR33755 Resolved an issue wherein Whitelisted Apps were unable to submit XML to MX.
- SPR33671 Resolved an issue wherein the profile creation used to fail if the username included "\" character.
- SPR34267 Resolved an issue where-in user was not able to enable USB debugging option using StageNow.
- SPR33862/33876 Fixed an issue where-in user could not set Display Timeout value of 30min using StageNow.
- SPR34145 Fixed an issue wherein user was unable to connect to WLAN network due to WEP Key Index issue.
- SPR33973 Fixed an issue wherein scanner beam stuck off when pressing scanner button.
- SPR34307/ SPR33607 Resolved an issue wherein devices out of the box intermittently failed to get staged via StageNow.
- SPR33981 Fixed an issue wherein Czech Republic could not be set as Regulatory country while configuring WLAN profile using StageNow.
- SPR34614 Fixed an issue in DataWedge wherein scanner could not be enabled due to quick enabling and disabling of scanner through Intents.
- SPR34804 Fixed an issue wherein applying MDM Lockdown profile used to fail on KK to L upgrade.
- SPR34805 Fixed an issue wherein user was unable to copy DW profiles to the autoimport folder via MDM on KK to L upgrade.
- SPR34213 Resolved an issue wherein EKB configuration failed to be applied while staging using StageNow.
- Updated below mentioned Components:

- o MXMF Version 7.2.8.2
- EMDK Version 6.8.21.1121
- Staging Client Version 2.10.1.1389
- DataWedge Version 6.7.48
- Enterprise Keyboard Version 1.7.0.2 (Added as an System application with this CFE 05).
- Diagnostic Tool Version 1.15.0.11
- File Browser Version 1.19.1.2

6. CFE v4 Updates:

CFE-MC40N0-L-V0-030703-N-00-04.zip (Voice/Non-Voice)

This CFE is applicable for 03-07-03-L-V0-M1 OS version.

1. Android Security Patch Level: 2018-03-05.

Use the below link to see the Android Security bulletin for more information: https://source.android.com/security/bulletin/

The CFE Package 'CFE-MC40N0-L-V0-030703-N-00-04.zip' includes the following fixes:

- Spectre & Meltdown correction for variant 2.
- Updated below mentioned TUT components:
 - o DataWedge Version 6.7.34
 - o EMDK Version 6.8.20.1120
 - MXMF Version 7.2.0.6
 - Staging Client Version 2.10.1.1386
 - o File Browser Version 1.19.1.2
- SPR33538 Resolved an issue wherein scanner beam stuck off when pressing scanner button.
- SPR33639 Resolved an issue wherein the device stops emitting scan beam after waking up from suspend.

7. CFE v3 Updates:

CFE-MC40N0-L-V0-030703-N-00-03.zip (Voice/Non-Voice)

This CFE is applicable for 03-07-03-L-V0-M1 OS version.

1. Android Security Patch Level: 2017-12-05.

Use the below link to see the Android Security bulletin for more information: https://source.android.com/security/bulletin/

The CFE Package 'CFE-MC40N0-L-V0-030703-N-00-03.zip' includes the following fixes:

- Updated below mentioned TUT components:
 - o DataWedge Version 6.6.50
 - o EMDK Version 6.7.10.1010
 - o MXMF Version 7.1.2.1
 - Staging Client Version 2.9.1.1362
- SPR33233 Resolved an issue wherein the DataWedge 6.2.24 could not replace separator or non-printable ascii character with \$.
- SPR32463 Resolved an issue wherein the StageNow File Manager downloads frequently fails due to Socketimeout exception.

- SPR32676 Resolved an issue wherein DataWedge crashes due to velocity application profile creation.
- SPR32484 Resolved an issue wherein customer was facing touch issues with keypad/numpad after updating from KitKat to Lollipop.
- SPR33138 Resolved an issue wherein audio tool was not working on MC40 L due to permission issue.
- SPR33168/33392 Resolved an issue wherein there was no option to disable Home Screen Button and Recent Items Button.

8. CFE v2 Updates:

CFE-MC40N0-L-V0-030703-N-00-02.zip (Voice/Non-Voice)

This CFE is applicable for 03-07-03-L-V0-M1 OS version.

1. Android Security Patch Level: 2017-07-05.

Use the below link to see the Android Security bulletin for more information: https://source.android.com/security/bulletin/

The CFE Package 'CFE-MC40N0-L-V0-030703-N-00-02.zip' includes the following fixes:

- Corrections for KRACK vulnerabilities applied.
- SPR33372 Resolved an issue wherein Wi-Fi disconnects while roaming.

9. CFE v1 Updates:

CFE-MC40N0-L-V0-030703-N-00-01.zip (Voice/Non-Voice)

This CFE is applicable for 03-07-03-L-V0-M1 OS version.

1. Android Security Patch Level: 2017-07-05.

Use the below link to see the Android Security bulletin for more information: https://source.android.com/security/bulletin/

The CFE Package 'CFE-MC40N0-L-V0-030703-N-00-01.zip' includes the following fixes:

- Resolved an issue in MX to prevent leakage of configuration parameters.
- Included fix for BlueBorne vulnerability.

Device Compatibility

This software release has been approved for Android MC40 Lollipop Voice/Non-Voice model mentioned below.

Voice SKU	Non-Voice SKU
MC40N0-SCG3RM1	MC40N0-SCG3RM0
MC40N0-SCG3R01	MC40N0-SCG3R00
MC40N0-SCJ3RM1	MC40N0-SCJ3RM0
MC40N0-SCJ3R01	MC40N0-SCJ3R00
MC40N0-HCJ3R01	MC40N0-HCJ3R00
MC40N0-SLK3R01	MC40N0-HCG3R00
MC40N0-SLK3RM1	
MC40N0-HLK3R01	
MC40N0-SCJ3RM102	

Installation Requirements

- ADB installed on the PC (including adb drivers)
- USB debugging turned ON (from Developer options)
- MC40 should have baseline:
 - 03-07-03-L-V0-M1

Installation Instructions

BEFORE UPDATING THE OS IMAGE, EXTERNAL POWER MUST BE APPLIED TO THE TERMINAL VIA USB CHARGING CABLE.

PLEASE ENSURE BATTERY LEVEL IS > 30%

CFE package software update procedure for MC40:

1. Process through Device Storage:

- 1. Connect the USB cable from your PC to the device.
- 2. Make sure MTP mode is selected in the device USB settings and MTP drivers are installed in your PC.
- 3. The internal SD card of MC40 will be seen in your PC as mounted drive MC40N0.
- 4. Copy the recovery update zip file "CFE-MC40N0-L-V0-030703-N-00-09.zip" to the root folder on internal SD card.
- 5. Press and hold the Power button on the device until the Device options menu appears.
- 6. Tap on Reboot to reboot the device.
- 7. When the device is rebooting hold the left Scan/Action button to enter Recovery update mode.
- 8. When the Recovery Mode screen appears then release the left Scan/Action button.
- 9. Click on Vol+ or Vol- to navigate to the "apply update from sdcard" option.
- 10. Click on PTT key to select the option.
- 11. Click on Vol+ or Vol- to navigate to the recovery update zip file.
- 12. Click on PTT key to select the recovery update zip file "CFE-MC40N0-L-V0-030703-N-00-09.zip".
- 13. Once you get highlighted "reboot system now", Click on PTT key to reboot the device.

2. Process through adb sideload:

- 1. Connect the USB cable from your PC to the device.
- 2. Go to PC's Command Prompt, type "adb devices" you should get you connected device in the list with key.
- 3. Enter "adb reboot recovery" from Command Prompt
- 4. Click on Vol+ or Vol- to navigate to the "apply update from ADB" option.

- 5. Click on PTT key to select the option.
- 6. On device, once you get the message, "Now send the package...", enter adb sideload add space at the end, then drag and drop the zip file "CFE-MC40N0-L-V0-030703-N-00-09.zip" from PC's Command Prompt.
- 7. Once you get highlighted "reboot system now", Click on PTT key to reboot the device.

After installation completed, goto Settings to check CFE package installed correctly:

- a. Settings-> About Device-> SW components-> Device Patch Version: 9
- b. ADB Shell method: Execute following command from PC's command prompt:

\$ adb shell getprop ro.device.patch.version

\$ 9

Download-able Software Included in this Release

Filename	Description
CFE-MC40N0-L-V0-030703-N-00-09.zip	CFE package update software for MC40 L Voice/Non-Voice build

Last Revised: <25-06-2019>