

Running a small business is hard work. Finding the tool to help you run it better is easy.

# **The TC20 Mobile Computer**

THE RIGHT LOOKS. THE RIGHT BUSINESS FEATURES. THE RIGHT PRICE.

You're running a small business. And that means there's so much to do...and so little time. Now, there's a new small business tool that will help you do more — in less time.

- Take inventory painlessly, at record speed.
- Keep the items your customers want on the shelves of your store instead of the backroom.
- Answer any customer question on the spot.
- Reach any worker to help with any task with the press of a button.
- Give more customers the extraordinary service that results in more loyalty and more return visits.
- $\dots$ all with the small business mobile computer designed for the way you work and where you work.



Get the small business tool that gives you more.

More time. More money. More sales. More productivity.

The TC20 — the small business tool done right.

For more information, visit www.zebra.com/tc20



The TC20 puts all the features you need to save time and money, increase sales and boost





Drop it on the floor. Spill water on it. Use it in a dusty backroom, out in the rain, extreme heat or below freezing temperatures. The TC20 can handle it all.

### All day power — always

Running low on power? No problem. No need to find a charger — just snap on the unique PowerPack and keep on working.

### A real scanner for real time-savings

Smartphone cameras aren't built for barcode scanning — that's why the TC20 delivers the same scanning technology that most of the world's retailers rely on every day. You get instant and effortless point-and-shoot capture of any electronic or printed barcode in any condition — just like taking a photo. And if you have a task that requires the capture of a lot of barcodes, do it comfortably with the snap-on snap-off trigger handle.

### **Instantly document everything**

Document anything with the 8 MP autofocus color camera — from damage to a return to a copy of a driver's license for a credit card application.

### When it comes to service and support, we've got you covered

Get the right level of support for the right price with Zebra OneCare™ SV. You get two years of coverage for normal wear and tear and device failure, unmatched from-the-manufacturer technical support, a Device Diagnostics Tool for onsite troubleshooting, priority repair turnaround time, free return shipping, and more. All for a fraction of the cost of a single, uncovered repair.

### Easy to use — no learning curve

The TC20 brings the smartphone simplicity you want in a business tool — from Android to the bright screen that is easy to see indoors and outside, to the large display and three programmable buttons to instantly access your most used features and applications.

### Doubles as a walkie-talkie

Get the power of an instant voice connection — at no cost. With the press of a button, you can reach a specific worker, a specific group of workers, or all of your workers.\*

### The fastest wireless connections

All wireless radios are not created equally. With the TC20, you not only get the fastest Wi-Fi and Bluetooth connections, you get wireless connections that are as dependably solid and fast as wired connections.

### Charge it your way

The TC20 charging cradle couldn't be more versatile. Charge the all-touch or keyboard models with or without the PowerPack. Charge the all-touch model with or without the trigger handle. Or charge the PowerPack alone — all with one cradle. And the 5-slot universal ShareCradle enables the efficient, cost-effective use of space in the backroom.

### Entering barcodes into your apps couldn't be easier

Send barcodes captured with the scanner right into your existing apps with Zebra's DataWedge — no programming or modification of your existing apps required. The result? A big time-savings — without any cost.

### **GET BIG BUSINESS TECHNOLOGY FOR YOUR**

SMALL BUSINESS. For 45 years, Zebra has made innovative mobile devices that power the world's largest retailers, driving efficiency, sales and profitability into the store. Now, with the TC20, you can put that same innovation to work in your store.



# **TC20 Specifications**

PHYSICAL CHARACTERISTICS	
Dimensions	TC20 ALL-TOUCH: 5.27 in. L x 2.82 in. W x .63 in. D 134 mm L x 73.1 mm W x 16 mm D  TC20 WITH KEYBOARD: 6.45 in. L x 2.82 in W x .63 in. D 164 mm L x 73.1 mm W x 16 mm D
Weight	TC20 ALL-TOUCH: 6.88 oz./195 g TC20 WITH KEYBOARD: 7.58 oz./215 g
Display	4.3 in. color WVGA (800x480); LED backlight; Corning Gorilla Glass
Imager Window	Corning Gorilla Glass
Touch Panel	Capacitive Touch Panel; multi-touch
Power	Non-removable Rechargeable Li-Ion: standard capacity, 3000mAh Charge in under 4 hours (10hrs = 1 Shift) RTC backup
Expansion Slot	One 128GB micro SD slot
Network Connections	One USB OTG - host/client (Type C connector)
Notifications	Audible tone; multi-color LEDs; vibration
Keypad	TC20 All-Touch: On-screen Keypad TC20 Keyboard: Numeric
Voice	PTT Pro, PTT Express
Audio	Speaker - 1 Watt (94dBA) Voice support (Internal speaker/microphone) 2 microphones Audio jack
Buttons	Scan on each side, Volume Up/Down, Power, push-to-talk (PTT) Key
PERFORMANCE (	CHARACTERISTICS
СРИ	QCOM MSM8937® 64-bit 8-Core, ARM® Cortex A53 1.4GHz, 512KB L2 cache, power-optimization
Operating System	
	Android Nougat 7.X
Memory	Android Nougat 7.X  2GB RAM/16 GB Flash memory
Memory Security	
	2GB RAM/16 GB Flash memory  Verified Boot
Security	2GB RAM/16 GB Flash memory  Verified Boot
Security  USER ENVIRONM  Operating	2GB RAM/16 GB Flash memory  Verified Boot  1ENT
Security  USER ENVIRONM  Operating Temperature  Storage	2GB RAM/16 GB Flash memory  Verified Boot  IENT  14° F to 122° F / -10° C to 50° C
Security  USER ENVIRONM  Operating Temperature  Storage Temperature  Drop	2GB RAM/16 GB Flash memory  Verified Boot  IENT  14° F to 122° F / -10° C to 50° C  -40° F to 158° F / -40° C to 70° C  Multiple 4 ft./1.2 m drop to tile over concrete

Vibration	4G peak, 5 Hz to 2 kHz, 1 hour duration per axis
Thermal Shock	-40°C to 70°C rapid transition
	10 cycles (1 cycle = 1.25 hours at -40°C and 1.25 hours at 70°C)
	and 1.25 hours at 70 C)
Electrostatic Discharge (ESD)	+/-15kv Air, +/-8kv contact, +/-8kv charge boo
INTERACTIVE S	ENSOR TECHNOLOGY (IST)
Accelerometer (3-a	xis), ambient light sensor, proximity sensor
DATA CAPTURE	
Scanning	SE2100 1D/2D imager
	SE4710 1D/2D imager + rear camera
Rear Camera	8MP autofocus color camera with flash
RFID	RFD2000 UHF RFID snap-on sled
WIRELESS LAN	
WLAN Radio	802.11 a/b/g/n/ac/d/r/h/i IPv4, IPv6
Data Rates	2.4 GHz: 20 MHz, 40 MHz 5 GHz: 20 MHz, 40 MHz, 80 MHz
Operating Channels	2.4 GHz (channels 1-13; 1-11(US))
	5GHz (channels 36-48, 52-64, 100-144, 149-165)
	Actual operating channels/ frequencies and
	bandwidths depend on regulatory rules and certification agency.
Security and	WPA/WPA2 (PSK & Enterprise 802.1x); EAP-
Encryption	TTLS; PEAPv0-MSCHAPv2; EAP-TLS
Certifications	802.11a/b/g/n; WPA; WPA2
Fast Roam	802.11r
WIRELESS PAN	
Bluetooth	Bluetooth 4.2 BLE
MOBILITY DNA	SOLUTIONS
Mobility Exter	sions (Mx) SmartDEX
<b>○</b> Lifeguard <sup>™</sup> for	Android <sup>™</sup> DataWedge
StageNow	EMM Tool Kit
	lable on Android only. Features may vary by mod ract may be required. To learn what solutions are

### WARRANTY

Subject to the terms of Zebra's hardware warranty statement, the TC20 is warranted against defects in workmanship and materials for a period of 1 (one) year from the date of shipment. For complete warranty statement, please visit: www.zebra.com/warranty

# RECOMMENDED SERVICES Zebra OneCare™ SV

# Put the TC20 to work in:

#### Retail

- Front of store
- Back of store
- Stocking
- Receiving
- Shipping/Truck loading
- BOPIS (buy online, pick up in store)

### Hospitality

• Order taking

### Light warehouse

- Stocking
- Receiving
- Shipping/Truck loading

<sup>\*</sup> Just set up the pre-installed, free Workforce Connect PTT Express software to enable calls between workers carrying the TC20 and any Zebra PTT Express-enabled compatible Android or Windows mobile device.

### SPECIFICATION SHEET

TC20 MOBILE COMPUTER

