

ZP888 Desktop Printer

Intuitive and reliable entry-level printing

Whether you need to create shipping labels for order fulfillment or picking labels for the warehouse, Zebra's ZP888 direct thermal desktop printer offers reliable, professional printing to keep your operations moving. As Zebra's entry-level desktop printer, the ZP888 meets the needs of any budget. And with Zebra's legacy of quality, longevity and reliability, you can count on the ZP888 to serve your business' everyday labeling needs at a great value.



Easy To Operate—No Training Required

The intuitive ZP888 is designed for ease of use from day one. Just load the printer driver onto a PC, connect the USB cable and you're ready to go. A tri-color LED shows the printer status, while readily visible yellow touchpoints make it easy to operate and adjust the printer. And adjustable media holders provide the flexibility to accommodate the different label sizes commonly used in Transportation and Logistics and e-commerce applications, including shipping, receiving, picking and item labels.

Engineered for Longevity

Get uncompromised durability and value from the ZP888. Dual wall construction and an all-metal printhead decrease printer downtime and reduce the need for replacement parts over the printer's lifespan.

Easily Design Labels with ZebraDesigner Pro for ZP888

Complimentary ZebraDesigner Pro for ZP888 software supports a Chinese interface and makes designing labels easier than ever. In just a few clicks, you can customize shipping or picking labels to meet your needs.

Consistently Exceptional Zebra Certified Supplies

Printing supplies can impact everything from printhead lifespan to operational efficiency. That's why we design, produce and rigorously pre-test our own line of thermal printing supplies to ensure consistent, optimized performance in your Zebra printer—and peace of mind for you. For industry-leading quality, service and thermal printing expertise, choose Zebra Certified Supplies.

Proven Quality You Can Trust

Zebra has set new standards in the printing industry, providing cutting-edge technology and products across numerous industries and businesses. It's why many Fortune 500 companies trust Zebra to reach higher levels of productivity, growth and service. When you choose the ZP888, you get the peace of mind that comes with choosing highly trusted quality and reliability.

Put the fast and reliable ZP888 to work in your everyday label applications.
For more information on the ZP888 Desktop Printer, please visit www.zebra.com/zp888

PRODUCT SPEC SHEET

ZP888 DESKTOP PRINTER

Backed by Zebra's Service and Support

Access repair support services, live-agent technical support and software support quickly through Zebra and its trusted network of partners. Zebra OneCare™ provides enhanced coverage that exceeds standard warranty for normal wear and tear, priority repair turnaround times at the depot and more—all for a tiny fraction of the cost of a single repair.

Specifications

Standard Features

- Print Method: Direct thermal printing, printing of barcodes, text and graphics
- Adjustable media holders for a variety of labeling applications
- 32 bit RISC processor
- Communications: USB 2.0
- Microsoft® Windows® drivers
- OpenACCESS™ for easy media loading
- Tri-colored status LED for quick printer status
- USB cable included
- ZebraDesigner Pro for ZP888
- Two-year standard warranty

Physical Characteristics

Dimension	7.9 in. W x 6.7 in. H x 8.2 in. D 201 mm W x 170 mm H x 208 mm D
Weight	3.0 lbs/1.4 kg

Printer Specifications

Resolution	203 dpi/8 dots per mm
Memory	8 MB SDRAM
Maximum Print Width	4.09 in./104 mm
Maximum Print Length	9 in./228.6 mm
Maximum Print Speed	6 in./152 mm per second
Media Sensors	Transmissive

Media Characteristics

Media Width	2.0 in./51 mm to 4.21 in./107 mm
Media Length	1.0 in./25.4 mm to 9.0 in./228.6 mm
Maximum Media Roll Size	5 in./127 mm O.D. on a 1.00 in./25.4 mm, 1.5 in./38 mm I.D. core
Media Thickness	0.0055 in./0.14 mm to 0.007 in./0.18 mm
Media Types	• Roll-fed or fan fold • Labels with gaps (die cut, direct thermal)

Environmental

Operating Temp.	40° F to 104° F/5° C to 40° C
Storage Temp.	-40° F to 140° F/-40° C to 60° C
Operating Humidity	10% to 90% non-condensing R.H.
Storage Humidity	5% to 95% non-condensing R.H.

Communications

USB 2.0 interface, bi-directional (cable included)

Electrical

Auto-detectable external power supply with integrated power cord
Output: 24 VDC, 2.08A; Input: 220-240 VAC, 50-60 Hz

Fonts/Graphics/Symbologies

Barcode Symbologies	Wide range of barcodes supported by ZebraDesigner Pro for ZP888: Barcode Ratio–3:1 1D Barcodes–Code 11, Code 39, Code 93, Code 128A, B & C (User selectable/Auto), UCC/EAN-128, Code 128, UPC-A, UPC-E, EAN-8, EAN-13, EAN-14, UPC-A and UPC-E with EAN 2 or 5 digit extensions, UPC-E with 2 and 5 add on, Plessey, POSTNET, Standard 2 of 5, Industrial 2 of 5, Interleaved 2 of 5, LOGMARS, MSI, Codabar, and GS1 DataBar™ (formerly RSS), Postnet (5, 9, 11 & 13 digit) Japanese Postnet, Plessey (MSI-1), MSI-3, German Post Code, RSS-14 (limited, truncated, stacked) 2D Barcodes–PDF417 (MicroPDF-417 and MacroPDF-417), Code 49, Maxicode, Codablock, Data Matrix, QR code, Aztec
Fonts and Graphics	Fonts–True Type Fonts as supported by Windows Graphics–.bmp, .jpg, .png, .emf, .pcx file types

Comes with Windows compatible printer driver that enables printing from a wide range of label printing applications

Compatible with third-party Transportation & Logistics shipping software via included Windows 10 and Windows 11 compatible printer driver

Agency Approvals

CCC

Environmental Compliance

Environment

- RoHS Directive 2011/65/EU; Amendment 2015/863
- REACH SVHC 1907/2006

A complete list of product and materials compliance, please visit:
www.zebra.com/environment

Markets and Applications

Transportation and Logistics

- Shipping labels
- Receiving labels
- Picking labels
- Item labels

E-Commerce

- Shipping labels

Specifications

Included in the Box

Printer, AC power supply with integrated power cord, USB cable, Quick Start Guide, Regulatory Guide

Recommended Services

Zebra OneCare SV

Software

ZebraDesigner™ Driver	Powerful printer driver for Windows OS
------------------------------	--

ZebraDesigner Pro for ZP888	An intuitive, easy-to-use software program for creating complex label designs; Chinese user interface
------------------------------------	---

Product Warranty

ZP888 printers are warranted against defects in workmanship and materials for a period of 2 (two) years from the date of shipment. For the complete warranty statement, please visit: www.zebra.com/warranty



NA and Corporate Headquarters
+1 800 423 0442
inquiry4@zebra.com

Asia-Pacific Headquarters
+65 6858 0722
contact.apac@zebra.com

EMEA Headquarters
zebra.com/locations
contact.emea@zebra.com

Latin America Headquarters
zebra.com/locations
la.contactme@zebra.com